

WorldCat URI behaviors and functionality

Nathan Putnam & Cynthia Whitacre

OCLC

December 2019

Topics

URIs and WorldCat controlling



Exporting URIs through
WorldShare Record Manager and
Collection Manager



Pilot note for WorldCat records



URIs and WorldCat controlling

Heading for Taylor Clark

100	1		Clark, Taylor, †d 1979-
245	1	0	Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

Can control as is, linking it to LC NAF.

AAP for Taylor Clark

100 1 Clark, Taylor, ⑆d 1979-

245 1 0 Starbucked : ⑆b a double tall tale of caffeine, commerce, and culture / ⑆c Taylor Clark.

Can control as is, linking it to LC NAF.

Addition of a \$0

100	1		Clark, Taylor, ⑆d 1979- ⑆0 http://id.loc.gov/authorities/names/n2007022182
245	1	0	Starbucked : ⑆b a double tall tale of caffeine, commerce, and culture / ⑆c Taylor Clark.

This will stay in the record as long as the field is **not** controlled. However, remember that...

- ...**online controlling** is when the cataloger controls the heading,
- ...**offline controlling** is when our systems automatically control eligible headings.

AAP for Taylor Clark

100 1 Clark, Taylor, †d 1979-

245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

Can control as is, linking it to LC NAF.

Addition of a \$0

100 1 Clark, Taylor, †d 1979- †0 <http://id.loc.gov/authorities/names/n2007022182>

245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

This will stay in the record as long as the field is **not** controlled. However, remember that...

- ...online controlling is when the cataloger controls the heading,
- ...offline controlling is when our systems automatically control eligible headings.

Even though you may not control a heading, it may be controlled later.

Once the heading is controlled, \$0 is not visible in the record.

100 1 [Clark, Taylor, †d 1979-](#)

245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

Non-LC subfield \$0s

100	1		Clark, Taylor, †d 1979- †0 http://isni.org/isni/0000000114576607
245	1	0	Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

If there is not an LC authority record to link to, other URIs may be added. Note that these **ARE NOT retained** when the heading is controlled.

Non-LC subfield \$0s

100 1 Clark, Taylor, †d 1979- †0 <http://isni.org/isni/0000000114576607>

245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

If there isn't an LC authority record to link to, can add other URIs, but note that these **ARE NOT retained** (at this time) when the heading is controlled.

Addition of \$1

100 1 Clark, Taylor, †d 1979- †0 <http://id.loc.gov/authorities/names/n2007022182> †1 <http://viaf.org/viaf/161599025>

245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

Subfield \$1 can be added to the end of the AAP.

Non-LC subfield \$0s

100 1 Clark, Taylor, †d 1979- †0 <http://isni.org/isni/0000000114576607>

245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

If there isn't an LC authority record to link to, can add other URIs, but note that these **ARE NOT retained** (at this time) when the heading is controlled.

Addition of \$1

100 1 Clark, Taylor, †d 1979- †0 <http://id.loc.gov/authorities/names/n2007022182> †1 <http://viaf.org/viaf/161599025>

245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

Subfield \$1 can be added to the end of the AAP.

100 1 [Clark, Taylor, †d 1979-](#) †1 <http://viaf.org/viaf/161599025>

245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

When this heading is controlled, the subfield \$0 is removed, but the subfield \$1 remains visible.

Subfield \$1 is repeatable...

100	1		Clark, Taylor, †d 1979- †1 http://viaf.org/viaf/161599025 †1 http://id.loc.gov/rwo/agents/n2007022182
245	1	0	Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.

Subfield \$1 is repeatable...

```
100 1 Clark, Taylor, †d 1979- †1 http://viaf.org/viaf/161599025 †1 http://id.loc.gov/rwo/agents/n2007022182
245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.
```

...and remains in the record, after the headings is controlled.

```
100 1 Clark, Taylor, †d 1979- †1 http://viaf.org/viaf/161599025 †1 http://id.loc.gov/rwo/agents/n2007022182
245 1 0 Starbucked : †b a double tall tale of caffeine, commerce, and culture / †c Taylor Clark.
```

Information on affected fields, other functionality, etc. available in Technical Bulletin 268 which you can reach at oclc.org/tb268.

Other notes:

- There is no list of URIs sources, anything could be used
- You can export \$0 URIs through Record Manager on a record-by-record basis or in bulk through Collection Manager

English ▾

Release Notes System Status Dashboard Contact OCLC Support

How can we help you?

Home » WorldCat » Cataloging documentation » Technical Bulletins

Technical Bulletin 268

Last updated: Sep 18, 2018

OCLC-MARC Format Update 2018 ISSN: 1097-9654 September 2018

Table of contents

1. About Technical Bulletin 268
2. Bibliographic Record Changes
3. Authority Record Changes
4. Holdings Record Changes
5. MARC Code List Changes

About Technical Bulletin 268

Why read this?

To learn about changes to OCLC-MARC records, many of which are related to Resource Description Access (RDA). These changes are based on:

- MARC 21 Format for Bibliographic
- MARC 21 Format for Bibliographic
- MARC 21 Format for Authority Da
- MARC 21 Format for Authority Da
- MARC 21 Format for Holdings Da
- MARC 21 Format for Holdings Da
- MARC Code List Technical Notice
- Comments and requests from OCLC

Record processing

All sections describe changes that m

Route to

Cataloging and local system or autor

Online installation

September 2018, unless otherwise n
discussion list.

OCLC strongly recommends not usin

New fields, subfields, and indicators:

Name Authority Cooperative (NAC)
OCLC will announce the implemen

New codes: These may be used in R

Subfield ‡1 (Real World Object URI (R))		
New subfield	‡1	Real World Object URI (R)
Subfield ‡1 contains a URI that identifies a description of an entity, sometimes referred to as a Thing, a Real World Object, or RWO, whether actual or conceptual. When dereferenced, the URI points to a description of that entity. A URI that identifies a name or label for an entity is contained in subfield ‡0.		
Added to these fields		033 (Date/Time and Place of an Event)
		034 (Coded Cartographic Mathematical Data)
		043 (Geographic Area Code)
		050 (Library of Congress Call Number)
		052 (Geographic Classification)
		055 (Classification Numbers Assigned in Canada)
		060 (National Library of Medicine Call Number)
		070 (National Agricultural Library Call Number)
		080 (Universal Decimal Classification Number)
		084 (Other Classification Number)
		085 (Synthesized Classification Number Components)
		086 (Government Document Classification Number)
		100 (Main Entry-Personal Name)
		110 (Main Entry-Corporate Name)
		111 (Main Entry-Meeting Name)
		130 (Main Entry-Uniform Title)
		240 (Uniform Title)
		257 (Country of Producing Entity)

Exporting URIs through WorldShare Record Manager and Collection Manager

Exporting \$0 URIs

In the Record Manager record, check that the headings are controlled.

After export, controlled headings will include the subfield \$0 URI.

100	1	<input type="checkbox"/>	▶	Chan, Lois Mai , \$e author.
245	1	0		Cataloging and classification : \$b an introduction / \$c Lois Mai Chan and Athena Salaba.
250	<input type="checkbox"/>	<input type="checkbox"/>		Fourth edition.
264	<input type="checkbox"/>	1		Lanham, Maryland : \$b Rowman & Littlefield Publishers, \$c [2016]
264	<input type="checkbox"/>	4		\$c ©2016
300	<input type="checkbox"/>	<input type="checkbox"/>		xviii, 784 pages : \$b illustrations ; \$c 24 cm
504	<input type="checkbox"/>	<input type="checkbox"/>		Includes bibliographical references (pages 755-769) and index.
630	0	0		Resource description & access.
650	<input type="checkbox"/>	0		Cataloging.
650	<input type="checkbox"/>	0		Classification \$x Books.
700	1	<input type="checkbox"/>	▶	Salaba, Athena , \$e author.

Exporting \$0 URIs

=100 1\\${a}Chan, Lois Mai,\\${e}author.

=245 10\\${a}Cataloging and classification : \\${b}an introduction / \\${c}Lois Mai Chan and Athena Salaba.

=250 \\\\${a}Fourth edition.

=264 \1\\${a}Lanham, Maryland : \\${b}Rowman & Littlefield Publishers, \\${c}[2016]

=264 \4\\${c}©2016

=300 \\\\${a}xviii, 784 pages : \\${b}illustrations ; \\${c}24 cm

=504 \\\\${a}Includes bibliographical references (pages 755-769) and index.

=630 00\\${a}Resource description & access.

=650 \0\\${a}Cataloging.

=650 \0\\${a}Classification\\${x}Books.

=700 1\\${a}Salaba, Athena,\\${e}author.

Exporting \$0 URIs

=100 1\\${a}Chan, Lois Mai,\$eauthor.\$0<http://id.loc.gov/authorities/names/n78012981>

=245 10\${a}Cataloging and classification :\${b}an introduction /\${c}Lois Mai Chan and Athena Salaba.

=250 \\${a}Fourth edition.

=264 \1\${a}Lanham, Maryland :\${b}Rowman & Littlefield Publishers,\$c[2016]

=264 \4\$c©2016

=300 \\${a}xviii, 784 pages :\${b}illustrations ;\$c24 cm

=504 \\${a}Includes bibliographical references (pages 755-769) and index.

=630 00\${a}Resource description & access.\$0<http://id.loc.gov/authorities/names/n2010035897>


=650 \0\${a}Cataloging.\$0<http://id.loc.gov/authorities/subjects/sh85020816>

=650 \0\${a}Classification\$xBooks.\$0<http://id.loc.gov/authorities/subjects/sh85026721>

=700 1\\${a}Salaba, Athena,\$eauthor.\$0<http://id.loc.gov/authorities/names/no2006027735>

Record Manager export settings for \$0 URIs

Chose export options from the **User Preferences**
>> **Exporting – Bibliographic Records**
>> **Uniform Resource Identifiers (URIs)** menu



Exporting - Bibliographic Records

General International TCP/IP **Uniform Resource Identifiers (URIs)**

Uniform Resource Identifiers (URIs) Export Preferences

[Reset Form](#)

Name Headings Identity Services

- GND Authorities
- LC/NACO Authority File

Subject Headings Identity Services

- GND Authorities
- LC Subject Authority File
- MeSH Authorities

Collection Manager export settings for \$0 URIs

Choose export options
from the
Institution Settings
>> **MARC Records**
>> **Record Delivery options**

Enable MARC Records Delivery Yes Your symbol is [OCLCQ](#). No

Customize Records WorldCat Updates Record Delivery Cataloging Partner Options

Record Delivery
Customize how often and under what conditions your records will be delivered.

Standard

Delivery Frequency ?

File Output

Deliver my serials in a separate file (.ser)
 Deliver records for WorldCat updates in a separate file (.wcholdings)

Uniform Resource Identifiers (URIs)

Name Headings Identity Services GND Authorities
 LC/NACO Authority File

Subject Headings Identity Services GND Authorities
 LC Subject Authority File
 MeSH Authorities

Pilot note for WorldCat records

Pilot note for OCLC master bibliographic records

**588 Some URIs added to this record for the PCC URI MARC pilot.
Please do not remove these subfields**

Field 588 is recommended because it:

- Is repeatable
- Is human-readable (easily understood by anyone using the record)
- Will distinguish the records where URIs are added for this pilot from other WorldCat records with URIs present
- Can be easily used for statistical/reporting purposes
- Can be easily batch-deleted once the pilot is complete if desired

Note: field 588 is not indexed, but OCLC will pull and share reports.