

# Data Distribution API

- [Overview](#)
- [Hello, World](#)
  - [Parameters](#)
  - [How to Read the Configuration File](#)
- [Managing Configuration Files](#)
- [References](#)

## Overview

The Data Distribution API is used to create data feeds from your VIVO site by editing a configuration file.

Use data feeds to:

- provide content to other sites
- service AJAX requests from your own VIVO pages
- provide a more responsive user interface on your VIVO site
- drive visualizations of your VIVO data

Get more use of the data in your VIVO site

- without opening your site to expensive queries
- without digging into the internals of VIVO
- without writing any Java code

*You will likely need to know SPARQL, Turtle syntax for RDF, and the structure of your data in VIVO.*

For more on the motivation and design philosophy behind the Data Distribution API, see [Data Distribution motivation](#)

## Hello, World

As a first example, we create an API that can be called to return the text "Hello, World" – not very useful, but shows the basic mechanism for creating and using an API based on a configuration file.

First, create a Turtle format file in `<vivo-home>/rdf/display/everytime` You may name the file anything you like. All example files are in Turtle format. Turtle files typically have a `.ttl` file type. Your file should contain the following:

```
@prefix : <http://vitro.mannlib.cornell.edu/ns/vitro/ApplicationSetup#> .

:data_distributor_hello
  a <java:edu.cornell.library.scholars.webapp.controller.api.distribute.DataDistributor> ,
  <java:edu.cornell.library.scholars.webapp.controller.api.distribute.examples.HelloDistributor> ;
  :actionName "hello" .
```

Second, restart Tomcat. VIVO will reread its everytime content. The assertions in the Turtle file will be added to VIVO's content triple store. The API is now ready for use.

Third, visit the URL: `http://mydomain.edu/api/datarequest/hello`

You should see:

```
Hello, World
```

in your browser.

## Parameters

The HelloDistributor supports a name parameter which can be specified in the call:

Visit `http://mydomain.edu/api/datarequest/hello?name=Bob`

You should see:

```
Hello, Bob
```

in your browser.

The Data Distribution API supports parameterized requests, making it ideal for getting data about a particular person, a particular publication, all the people in a particular department, and so on.

## How to Read the Configuration File

The configuration file begins with a prefix. Prefixes provide shortcuts for URIs used in RDF. See the Turtle reference for additional background and examples.

Following are two assertions of type for a new entity with the URI `:data_distributor_hello`. You can use any URI for your data distributor entity. You will need to use unique URI for each data distributor entity you create, so a naming convention (see below) may be helpful.

The type assertions are required and declare that the entity is a data distributor, and is a HelloDistributor. Subsequent examples will use other types of data distributors.

The third assertion says that the entity has the actionName "hello". This is the API's key for someone calling the API. The entity will be called when the URL <http://mydomain.edu/api/datarequest/hello> is visited. The `/api/datarequest` part of the URL is fixed and indicates you are making a request of the VIVO Data Distribution API. The final part of the URL is the action name specified in the configuration file.

## Managing Configuration Files

Your configuration files will live in `<vivo-home>/rdf/display/everytime`

You may wish to use a naming convention to identify Data Distribution API configuration files.

You will want to preserve your configuration files through upgrades and builds of VIVO. See [Preserving Customizations During Build](#)

## References

1. VIVO Data Distribution API on GitHub <https://vivo-community.github.io/vivo-data-distribution-api/>
2. Turtle - Terse RDF Triple Language <https://www.w3.org/TeamSubmission/turtle/>
3. Learning SPARQL <http://learningsparql.com>
4. [VIVO Ontology Reference](#)