

Add existing objects to a profile



Since 18th November 2019 see <https://github.com/4Science/DSpace/commit/f4aabbf0067d82c0bc395c1336394f4a4b1b7339>

The feature allows a researcher or more in general an authorized user or the administrator to add objects to a relation starting from the detail page of the target CRIS object. The "object" could be both a dspace items (publication, dataset, patent, etc.) than a CRIS Object (events, awards, projects, etc.). It is also possible to make available, for some or all the relations, the opposite action "remove". Below some examples:

- Add publications to a project
- Add publications to a journal
- Add projects to a researcher
- Add events to a project

The following screen show the public page of a sample project

1° Project Test

[View Statistics](#) [Email Alert](#) [RSS Feed](#)

Informations

Primary Data

Title 1° Project Test **Project Coordinator** Scognamiglio, Francesco Pio **Status** preparation

Publications (All)

Show/Hide filters

Results 1-12 of 12 (Search time: 0.002 seconds).

Issue Date	Title	Author(s)
1 2015	Application Migration Effort in the Cloud	Kolb, Stefan ; Lenhard, Jörg ; Wirtz, Guido
2 -	Application Migration Effort in the Cloud : The Case of Cloud Platforms	Kolb, Stefan ; Lenhard, Jörg ; Wirtz, Guido
3 -	Betsy - A BPEL Engine Test System	Harrer, Simon ; Lenhard, Jörg
4 -	BPEL Conformance in Open Source Engines	Harrer, Simon ; Lenhard, Jörg ; Wirtz, Guido
5 -	BPMN 2.0 : The state of support and implementation	Geiger, Matthias ; Harrer, Simon ; Lenhard, Jörg ; Wirtz, Guido
6 -	Building Orchestrations in B2Bi – The Case of BPEL 2.0 and BPMN 2.0	Lenhard, Jörg ; Wirtz, Guido
7 -	Edit Distance-Based Pattern Support Assessment of Orchestration Languages	Lenhard, Jörg ; Schönberger, Andreas ; Wirtz, Guido
8 -	Fröhlich, Romy, Rundfunk-PR im Kontext : Opladen, 1994	
9 -	Hannon 26	Geus, Klaus
10 -	Haupt	Irsigler, Hubert
11 -	Islamische Fernsehsender in der Türkei : zur Entwicklung des türkischen Fernsehens zwischen Staat, Markt und Religion	Jung, Christine
12 -	A Pattern-based Analysis of WS-BPEL and Windows Workflow	Lenhard, Jörg

when an authorized user is loggedin, an add relation button appear in the component

1° Project Test

[View Statistics](#) [Email Alert](#) [RSS Feed](#) [Edit Project](#)

Source ID: none
Source Reference: none
Created: 2019-08-29 10:08:36.141
Updated: 2019-08-29 10:09:39.563

Informations

Primary Data

Title 1° Project Test **Project Coordinator** Scognamiglio, Francesco Pio **Status** preparation

Publications (All)

[Add relations](#)

[Show/Hide filters](#)

Results 1-12 of 12 (Search time: 0.002 seconds).

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Issue Date	Title	Author(s)			
<input type="checkbox"/>	1 2015	Application Migration Effort in the Cloud	Kolb, Stefan Lenhard, Jörg Wirtz, Guido			
<input type="checkbox"/>	2 -	Application Migration Effort in the Cloud : The Case of Cloud Platforms	Kolb, Stefan Lenhard, Jörg Wirtz, Guido			
<input type="checkbox"/>	3 -	Betsy - A BPEL Engine Test System	Harrer, Simon Lenhard, Jörg			
<input type="checkbox"/>	4 -	BPEL Conformance in Open Source Engines	Harrer, Simon Lenhard, Jörg Wirtz, Guido			
<input type="checkbox"/>	5 -	BPMN 2.0 : The state of support and implementation	Geiger, Matthias Harrer, Simon Lenhard, Jörg Wirtz, Guido			
<input type="checkbox"/>	6 -	Building Orchestrations in B2Bi - The Case of BPEL 2.0 and BPMN 2.0	Lenhard, Jörg Wirtz, Guido			
<input type="checkbox"/>	7 -	Edit Distance-Based Pattern Support Assessment of Orchestration Languages	Lenhard, Jörg Schönberger, Andreas Wirtz, Guido			
<input type="checkbox"/>	8 -	Frohlich, Romy, Rundfunk-PR im Kontext : Opladen, 1994				
<input type="checkbox"/>	9 -	Hannon 26	Getus, Klaus			
<input type="checkbox"/>	10 -	Haupt	Irsgler, Hubert			
<input type="checkbox"/>	11 -	Islamische Fernsehsender in der Türkei : zur Entwicklung des türkischen Fernsehens zwischen Staat, Markt und Religion	Jung, Christine			
<input type="checkbox"/>	12 -	A Pattern-based Analysis of WS-BPEL and Windows Workflow	Lenhard, Jörg			

this is also true when the relations is empty (please note that empty components are NOT shown in the public page)

1° Project Test

[View Statistics](#) [Email Alert](#) [RSS Feed](#) [Edit Project](#)

Source ID: none
Source Reference: none
Created: 2019-08-29 10:08:36.141
Updated: 2019-08-29 10:09:39.563

Informations

Primary Data

Title 1° Project Test **Project Coordinator** Scognamiglio, Francesco Pio **Status** preparation

Publications

[Add relations](#)

No results founded.

Once the user click on the Add relations button a configurable search form is presented

Add Publications to 1° Project Test

for

Add/Remove Filters (1 filters currently applied)

Results 11-20 of 22 (Search time: 0.023 seconds).
Results/Page **10** | Sorted by Relevance

previous 1 2 3 next

Item #	Issue Date	Title	Author(s)	
1	-	On the Measurement of Design-Time Adaptability for Process-Based Systems	Lenhard, Jörg; Geiger, Matthias; Wirtz, Guido	<input type="button" value="Add"/>
2	-	Towards Uniform BPEL Engine Management in the Cloud	Harrer, Simon; Lenhard, Jörg; Wirtz, Guido; van Lessen, Ramon	<input type="button" value="Add"/>
3	-	Streamlining Pattern Support Assessment for Service Composition Languages	Lenhard, Jörg; Schönberger, Andreas; Wirtz, Guido	<input type="button" value="Add"/>
4	-	Open Source versus Proprietary Software in Service-Oriented : The Case of BPEL Engines	Harrer, Simon; Lenhard, Jörg; Wirtz, Guido	<input type="button" value="Add"/>
5	-	Application Migration Effort in the Cloud : The Case of Cloud Platforms	Kolb, Stefan; Lenhard, Jörg; Wirtz, Guido	Already added
6	-	BPMN 2.0 : The state of support and implementation	Geiger, Matthias; Harrer, Simon; Lenhard, Jörg; Wirtz, Guido	Already added
7	-	Building Orchestration in B2BI - The Case of BPEL 2.0 and BPMN 2.0	Lenhard, Jörg; Wirtz, Guido	Already added
8	-	A Pattern-based Analysis of WS-BPEL and Windows Workflow	Lenhard, Jörg	Already added
9	2015	Application Migration Effort in the Cloud	Kolb, Stefan; Lenhard, Jörg; Wirtz, Guido	Already added
10	-	Betsy - A BPEL Engine Test System	Harrer, Simon; Lenhard, Jörg	Already added

Discover

Author	
Lenhard, Jörg	14
Wirtz, Guido	11
Lenhard, Jörg	10
Harrer, Simon	7
Wirtz, Guido	6
Geiger, Matthias	4
Harrer, Simon	3
Kolb, Stefan	2
Casari, Mathias	1
Geiger, Matthias	1

next >

Subject	
BPEL	14
SOA	11
Datenverarbeitung, Informatik	7
conformance testing	6
BPMN	2
Engine	2
Management und unterstützende Tät...	2
Metrics	2
metrics	2
Portability	2

next >

Date issued	
2015	11

Type	
Konferenzveröffentlichung	14
Artikel in einem Sammelwerk	1
Pos...	

Which relations should offer this feature are configured in the spring file `cris-relationpreference.xml` where one can also decide who (administrator, owner of the target or a policy managed groups) will have access to the feature and which discovery configuration apply to the search form.

The `cris-relationpreference.xml` file contains a bean `RelationServiceConfiguration` containing the list of all the relations that support such feature

```
<bean
    class="org.dspace.app.cris.configuration.RelationServiceConfiguration">
    <property name="list">
        <list>
            <bean
                class="org.dspace.app.cris.configuration.RelationService">
                <property name="relationConfiguration" ref="
relationPJVSItemConfiguration" />
                <property name="discoveryConfigurationKey" value="publications" />
                <property name="addAction">
                    <bean class="org.dspace.app.cris.configuration.
AddRelationMetadataAction">
                        <property name="metadataAction" value="dc.relation" />
                    </bean>
                </property>
                <property name="removeAction">
                    <bean class="org.dspace.app.cris.configuration.
RemoveRelationMetadataAction">
                        <property name="metadataAction" value="dc.relation" />
                    </bean>
                </property>
                <property name="security">
                    <list>
                        <ref bean="ownerSecurityConfiguration" />
                        <ref bean="adminSecurityConfiguration" />
                    </list>
                </property>
            </bean>
        </list>
    </property>
</bean>
...

```

if the specified removeAction is specified a "remove" button will be presented aside objects already included in the relation otherwise the message Already included in the relation shown in the screenshot is displayed