

# Configuration Reference

There are a number of ways in which DSpace may be configured and/or customized. This chapter of the documentation will discuss the configuration of the software and will also reference customizations that may be performed in the chapter following.

For ease of use, the Configuration documentation is broken into several parts:

- [General Configuration](#) - addresses general conventions used with configuring the `local.cfg` file, `dspace.cfg` and other configuration files which use similar conventions.
- [The local.cfg Configuration Properties File](#) - describes how to use the `local.cfg` file to store all your locally customized configurations
- [The dspace.cfg Configuration Properties File](#) - specifies the basic `dspace.cfg` file settings (these settings specify the default configuration for DSpace)
- [Optional or Advanced Configuration Settings](#) - contain other more advanced settings that are optional in the `dspace.cfg` configuration file.

The full table of contents follows:

- 1 [General Configuration](#)
  - 1.1 [Configuration File Syntax](#)
    - 1.1.1 [Special Characters](#)
    - 1.1.2 [Specifying Multiple Values for Properties](#)
    - 1.1.3 [Including other Property Files](#)
  - 1.2 [Configuration Scheme for Reloading and Overriding](#)
  - 1.3 [Why are there multiple copies of some config files?](#)
- 2 [The local.cfg Configuration Properties File](#)
- 3 [The dspace.cfg Configuration Properties File](#)
  - 3.1 [Main DSpace Configurations](#)
  - 3.2 [General Solr Configuration](#)
  - 3.3 [DSpace Database Configuration](#)
    - 3.3.1 [To provide the database connection pool externally](#)
  - 3.4 [DSpace Email Settings](#)
    - 3.4.1 [Wording of E-mail Messages](#)
      - 3.4.1.1 [Templates can set message headers](#)
  - 3.5 [File Storage](#)
  - 3.6 [Logging Configuration](#)
  - 3.7 [General Plugin Configuration](#)
  - 3.8 [Configuring the Search Engine](#)
  - 3.9 [Handle Server Configuration](#)
  - 3.10 [Delegation Administration: Authorization System Configuration](#)
  - 3.11 [Inheritance of collection default policy \(since 7.1\)](#)
  - 3.12 [Login as feature](#)
  - 3.13 [Restricted Item Visibility Settings](#)
  - 3.14 [Proxy Settings](#)
  - 3.15 [Configuring Media Filters](#)
  - 3.16 [Crosswalk and Packager Plugin Settings](#)
    - 3.16.1 [Configurable MODS Dissemination Crosswalk](#)
    - 3.16.2 [XSLT-based Crosswalks](#)
      - 3.16.2.1 [Testing XSLT Crosswalks](#)
    - 3.16.3 [Configurable Qualified Dublin Core \(QDC\) dissemination crosswalk](#)
    - 3.16.4 [Configuring Crosswalk Plugins](#)
    - 3.16.5 [Configuring Packager Plugins](#)
  - 3.17 [Event System Configuration](#)
  - 3.18 [Embargo](#)
  - 3.19 [Checksum Checker Settings](#)
  - 3.20 [Item Export and Download Settings](#)
  - 3.21 [Subscription Emails](#)
  - 3.22 [Hiding Metadata](#)
  - 3.23 [Settings for the Submission Process](#)
  - 3.24 [Configuring the Sherpa/RoMEO Integration](#)
  - 3.25 [Configuring Creative Commons License](#)
  - 3.26 [WEB User Interface Configurations](#)
  - 3.27 [Item Counts in user interface](#)
  - 3.28 [Browse Index Configuration](#)
    - 3.28.1 [Defining the storage of the Browse Data](#)
    - 3.28.2 [Defining the Indexes](#)
    - 3.28.3 [Defining Sort Options](#)
    - 3.28.4 [Hierarchical Browse Indexes](#)
    - 3.28.5 [Other Browse Options](#)
    - 3.28.6 [Browse Index Authority Control Configuration](#)
    - 3.28.7 [Tag cloud](#)
  - 3.29 [Links to Other Browse Contexts](#)
  - 3.30 [Submission License Substitution Variables](#)
  - 3.31 [Syndication Feed \(RSS\) Settings](#)
  - 3.32 [OpenSearch Support](#)
  - 3.33 [Content Inline Disposition Threshold / Format](#)
  - 3.34 [Multi-file HTML Document/Site Settings](#)
  - 3.35 [Sitemap Settings](#)
  - 3.36 [Authority Control Settings](#)

- 3.37 [Configuring Multilingual Support](#)
  - 3.37.1 [Setting the Default Language for the Application](#)
  - 3.37.2 [Supporting More Than One Language](#)
    - 3.37.2.1 [Changes in dspace.cfg](#)
    - 3.37.2.2 [Related Files](#)
- 3.38 [Upload File Settings](#)
- 3.39 [SFX Server \(OpenURL\)](#)
- 3.40 [Controlled Vocabulary Settings](#)
- 4 [Optional or Advanced Configuration Settings](#)
  - 4.1 [The Metadata Format and Bitstream Format Registries](#)
    - 4.1.1 [Metadata Format Registries](#)
    - 4.1.2 [Bitstream Format Registry](#)
  - 4.2 [Configuring Usage Instrumentation Plugins](#)
    - 4.2.1 [The Passive Plugin](#)
    - 4.2.2 [The Tab File Logger Plugin](#)
  - 4.3 [Behavior of the workflow system](#)
  - 4.4 [Recognizing Web Spiders \(Bots, Crawlers, etc.\)](#)
- 5 [Command-line Access to Configuration Properties](#)

## General Configuration

In the following sections you will learn about the different configuration files that you will need to edit so that you may make your DSpace installation work.

DSpace provides a number of textual configuration files which may be used to configure your site based on local needs. These include:

- `[dspace]/config/dspace.cfg`: The primary configuration file, which contains the main configurations for DSpace.
- `[dspace]/config/modules/*.cfg`: Module configuration files, which are specific to various modules/features within DSpace.
- `[dspace]/config/local.cfg`: A (optional, but highly recommended) localized copy of configurations/settings specific to your DSpace (see [The local.cfg Configuration Properties File](#) below)
- Additional feature-specific configuration files also exist under `[dspace]/config/`, some of these include:
  - `default.license`: the default deposit license used by DSpace during the submission process (see [Submission User Interface](#) documentation)
  - `hibernate.cfg.xml`: The Hibernate class configuration for the DSpace database (almost never requires changing)
  - `item-submission.xml`: the default item submission process for DSpace (see [Submission User Interface](#) documentation)
  - `launcher.xml`: The configuration of the DSpace command-line "launcher" ( `[dspace]/bin/dspace` , see the [DSpace Command Launcher](#) documentation)
  - `log4j2.xml`: The default logging settings for DSpace log files (usually placed in `[dspace]/log`)
  - `submission-forms.xml`: The default deposit forms for DSpace, used by `item-submission.xml` (see [Submission User Interface](#) documentation)

As most of these configurations are detailed in other areas of the DSpace documentation (see links above), this section concentrates primarily on the "\*" .cfg" configuration files (namely `dspace.cfg` and `local.cfg`).

## Configuration File Syntax

We will use the `dspace.cfg` as our example for input conventions used throughout the system. These same input conventions apply to all DSpace \*.cfg files.

All DSpace \*.cfg files use the [Apache Commons Configuration properties file syntax](#). This syntax is very similar to a standard Java properties file, with a few notable enhancements described below.

- Comments all start with a "#" symbol. These lines are ignored by DSpace.
- Other settings appear as property/value pairs of the form: `property.name = property value`
- Certain special characters (namely commas) MUST BE escaped. See the "Special Characters" section below
- Values assigned in the same \*.cfg file are "additive", and result in an array of values. See "Specifying Multiple Values for Properties" below.

Some property defaults are "commented out". That is, they have a "#" preceding them, and the DSpace software ignores the config property. This may cause the feature not to be enabled, or, cause a default property to be used.

The property value may contain references to other configuration properties, in the form `${property.name}`. A property may not refer to itself. Examples:

```
dspace.dir = /path/to/dspace
dspace.name = My DSpace

# property.name will be equal to "My DSpace is great!"
property.name = ${dspace.name} is great!

# property2.name will be equal to "/path/to/dspace/rest/of/path"
property2.name = ${dspace.dir}/rest/of/path

# However, this will result in an ERROR, as the property cannot reference itself
property3.name = ${property3.name}
```

## Special Characters

Certain characters in \*.cfg files are considered special characters, and **must** be escaped in any values. The most notable of these special characters include:

- Commas (,): as they represent lists or arrays of values (see "Specifying Multiple Values for Properties" below)
- Backslashes (\): as this is the escape character

This means that if a particular setting needs to use one of these special characters in its value, it must be escaped. Here's a few examples:

```
# WRONG SETTING
# This setting is INVALID. DSpace is expecting your site name to be a single value,
# But, this setting would create an array of two values: "DSpace" and "My Institution"
dspace.name = DSpace, My Institution

# CORRECT SETTING (commas is escaped)
# Instead, if the name of your DSpace includes a comma, you need to escape it with "\",
dspace.name = DSpace\, My Institution

# WRONG SETTING
# As the backslash is the escape character, this won't work
property.name = \some\path

# CORRECT SETTING
# If you want a literal backslash, you need to escape it with "\\"
# So, the below value will be returned as "\some\path"
property.name = \\some\\path
```

Additional examples of escaping special characters are provided in the documentation of the [Apache Commons Configuration properties file syntax](#).

## Specifying Multiple Values for Properties

Because DSpace supports the [Apache Commons Configuration properties file syntax](#), it is much easier to specify multiple values for a single setting. All you have to do is repeat the same property name multiple times in the same \*.cfg file.

For example:

```
# The below settings define *two* AuthenticationMethods that will be enabled, LDAP and Password authentication
# Notice how the same property name is simply repeated, and passed different values.
plugin.sequence.org.dspace.authenticate.AuthenticationMethod = org.dspace.authenticate.LDAPAuthentication
plugin.sequence.org.dspace.authenticate.AuthenticationMethod = org.dspace.authenticate.PasswordAuthentication

# Alternatively, you can also define them as a comma-separated list
# (In this scenario, you would NOT escape the comma, as you want them to be considered multiple values)
# So, this single line is exactly equivalent to the settings above:
plugin.sequence.org.dspace.authenticate.AuthenticationMethod = org.dspace.authenticate.LDAPAuthentication, org.dspace.authenticate.PasswordAuthentication
```

Please be aware that this **ONLY** works if you are reusing the exact same configuration in the same configuration file. This causes the values to be "additive" (i.e they are appended to the same list).

However, as you'll see below, the local.cfg file always *overrides* settings elsewhere. So, if the above "AuthenticationMethod" plugin was specified in both your authentication.cfg and your local.cfg, the value(s) in your local.cfg would *override* the defaults in your authentication.cfg (more on that below).

Additional examples of creating lists or arrays of values are provided in the documentation of the [Apache Commons Configuration properties file syntax](#).

## Including other Property Files

Because DSpace supports the [Apache Commons Configuration properties file syntax](#), it also can include/embed property files within other property files by using the "include=" setting.

For example, the dspace.cfg includes/embeds all of the default config/modules/\*.cfg files via a series of "include=" settings near the bottom of the dspace.cfg. As an example, here's a small subset of those include calls:

```

# defines our modules subdirectory
module_dir = modules

# The following lines include specific "authentication*.cfg" files inside your dspace.cfg
# This essentially "embeds" their configurations into your dspace.cfg,
# treating them as if they were a single configuration file.
include = ${module_dir}/authentication.cfg
include = ${module_dir}/authentication-ip.cfg
include = ${module_dir}/authentication-ldap.cfg
include = ${module_dir}/authentication-password.cfg
include = ${module_dir}/authentication-shibboleth.cfg

```

This ability to include properties files within others is very powerful, as it allows you to inherit settings from other files, or subdivide large configuration files. Be aware that this essentially causes DSpace to treat all included configurations *as if they were part of the parent file*. This means that, in the above example, as far as DSpace is concerned, all the settings contained within the `authentication*.cfg` files "appear" as though they are specified in the main `dspace.cfg`.

This ability to include other files is also possible with the `local.cfg` file, should you want to subdivide your localized settings into several locally specific configuration files.

## Configuration Scheme for Reloading and Overriding

Known limitations to reloadable configurations

While the DSpace API supports dynamically reloading configurations, the user or machine interfaces *may* still cache some configuration settings. This means that while the API layer may reload a new value, that new value may not always affect/change the behavior of your user interface (until you restart Tomcat).

Also, please be aware that all DSpace configuration values loaded into Spring beans (for example configurations that appear in Spring XML configuration files or in `@Value` annotations) **are cached by Spring**. This means that they will not be reloadable within Spring beans until Tomcat is restarted.

Because DSpace supports the [Apache Commons Configuration](#), its configurations can now be reloaded without restarting your servlet container (e.g. Tomcat). By default, DSpace checks for changes to any of its runtime configuration files every 5 seconds. If a change has been made, the configuration file is reloaded. The 5 second interval is configurable in the `config-definition.xml` (which defines the configuration scheme DSpace uses).

Additionally, DSpace provides the ability to easily override default configuration settings (in `dspace.cfg` or `modules/*.cfg`) using a `local.cfg` file (see [The local.cfg Configuration Properties File](#)) or using System Properties / Environment Variables.

Both of these features are defined in DSpace's default "configuration scheme" or "configuration definition" in the `[dspace]/config/config-definition.xml` file. This file defines the Apache Commons Configuration settings that DSpace utilizes by default. It is a valid "configuration definition" file as defined by Apache Commons Configuration. See their [Configuration Definition File Documentation](#) for more details.

You are welcome to customize the `config-definition.xml` to customize your local configuration scheme as you see fit. Any customizations to this file will require restarting your servlet container (e.g. Tomcat).

By default, the DSpace `config-definition.xml` file defines the following configuration scheme:

- **Configuration File Syntax/Sources:** All DSpace configurations are loaded via Properties files (using the [Configuration File Syntax](#) detailed above)
  - Note: Apache Commons Configuration does support other configuration sources such as XML configurations or database configurations (see its [Overview documentation](#)). At this time, DSpace does not utilize these other sorts of configurations by default. However, it would be possible to customize your local `config-definition.xml` to load settings from other locations.
- **Configuration Files/Sources:** By default, only two configuration files are loaded into Apache Commons Configuration for DSpace:
  - `local.cfg` (see [The local.cfg Configuration Properties File](#) documentation below)
  - `dspace.cfg` (NOTE: all `modules/*.cfg` are loaded by `dspace.cfg` via "include=" statements at the end of that configuration file. They are essentially treated as sub-configs which are embedded/included into the `dspace.cfg`)
- **Configuration Override Scheme:** The configuration override scheme is defined as follows. Configurations specified in earlier locations will automatically override any later values:
  - System Properties (`-D[setting]=[value]`) override all other options
  - Environment Variables.
    - DSpace provides a custom environment variable syntax as follows:
      - All periods (.) in configuration names must be translated to `"__P__"` (two underscores, capital P, two underscores), e.g. `"dspace__P__dir"` environment variable will override the `"dspace.dir"` configuration in `local.cfg` (or other `*.cfg` files)
      - All dashes (-) in configuration names must be translated to `"__D__"` (two underscores, capital D, two underscores), e.g. `"authentication__D__ip__P__groupname"` environment variable will override the `"authentication-ip.groupname"` configuration in `local.cfg` (or other `*.cfg` files)
  - `local.cfg`
  - `dspace.cfg` (and all `modules/*.cfg` files) contain the default values for all settings.
- **Configuration Auto-Reload:** By default, all configuration files are automatically checked every 5 seconds for changes. If they have changed, they are automatically reloaded.

For more information on customizing our default `config-definition.xml` file, see the Apache Commons Configuration [documentation on the configuration definition file](#). Internally, DSpace simply uses the `DefaultConfigurationBuilder` class provided by Apache Commons Configuration to initialize our configuration scheme (and load all configuration files).

## Customizing the default configuration scheme

 Because the `config-definition.xml` file is just a Configuration Definition file for Apache Commons Configuration, you can also choose to customize the above configuration scheme based on your institution's local needs. This includes, but is not limited to, changing the name of "local.cfg", adding additional configuration files/sources, or modifying the override or auto-reload schemes. For more information, see the [Configuration Definition File Documentation](#) from Apache Commons Configuration.

## Why are there multiple copies of some config files?

It is important to remember that there are **multiple copies of each configuration files in an installation of DSpace**. The primary ones to be aware of are:

1. The "source" configuration file(s) are found under in `[dspace-source]/dspace/config/` or subdirectories. This also includes the `[dspace-source]/local.cfg`
2. The "runtime" configuration file(s) that are found in `[dspace]/config/`

The DSpace server (webapp) and command line programs only look at the *runtime* configuration file(s).

When you are revising/changing your configuration values, it may be tempting to *only edit the runtime file*. **DO NOT** do this. Whenever you rebuild DSpace, it will "reset" your runtime configuration to whatever is in your source directories (the previous runtime configuration is copied to a date suffixed file, should you ever need to restore it).

Instead, we recommend to **always make the same changes to the source version** of the configuration file in addition to the runtime file. In other words, the source and runtime files should always be identical / kept in sync.

One way to keep the two files in synchronization is to edit your files in `[dspace-source]/dspace/config/` and then run the following commands to rebuild DSpace and install the updated configs:

```
cd [dspace-source]/dspace/  
mvn package  
cd [dspace-source]/dspace/target/dspace-installer  
ant update_configs
```

This will copy the source configuration files into the runtime (`[dspace]/config`) directory. Another option to manually sync the files by copying them to each directory.

Please note that there are additional "ant" commands to help with configuration management:

- "ant update\_configs" ==> Moves existing configs in `[dspace]/config/` to `*.old` files and replaces them with what is in `[dspace-source]/dspace/config/`
- "ant -Doverwrite=false update\_configs" ==> Leaves existing configs in `[dspace]/config/` intact. Just copies new configs from `[dspace-source]/dspace/config/` over to `*.new` files.

## The local.cfg Configuration Properties File

`build.properties` has been replaced by `local.cfg`

 As of DSpace 6 and above, the old "build.properties" configuration file has been replaced by this new "local.cfg" configuration file. For individuals who are familiar with the old `build.properties` file, this new `local.cfg` differs in a few key ways:

- Unlike `build.properties`, the `local.cfg` file can be used to override ANY setting in any other configuration file (`dspace.cfg` or `modules/*.cfg`). To override a default setting, simply copy the configuration into your `local.cfg` and change its value(s).
- Unlike `build.properties`, the `local.cfg` file is not utilized during the compilation process (e.g. `mvn package`). But, it is automatically copied alongside the final `dspace.cfg` into your installation location (`[dspace]/config/`), where it overrides default DSpace settings with your locally specific settings *at runtime*.
- Like `build.properties`, the `local.cfg` file is expected to be specified in the source directory by default (`[dspace-source]`). There is an example (`[dspace-source]/dspace/config/local.cfg.EXAMPLE`) provided which you can use to create a `[dspace-source]/dspace/config/local.cfg`.

Many configurations have changed names between DSpace 5 (and below) and DSpace 6 (and above)

 If you are upgrading from an earlier version of DSpace, you will need to be aware that *many* configuration names/keys have changed. Because Apache Commons Configuration allows for auto-overriding of configurations, all configuration names/keys in different `*.cfg` files MUST be uniquely named (otherwise accidental, unintended overriding may occur).

In order to create this powerful ability to override configurations in your `local.cfg`, all `modules/*.cfg` files had their configurations **renamed** to be prepended with the module name. As a basic example, all the configuration settings within the `modules/oai.cfg` configuration now start with "oai."

Additionally, while the `local.cfg` may look *similar* to the old `build.properties`, many of its configurations have slightly different names. So, *simply copying your build.properties into a local.cfg will NOT work*.

This means that DSpace 5.x (or below) configurations are NOT guaranteed compatible with DSpace 6. While you obviously can use your old configurations as a reference, you will need to start with fresh copy of all configuration files, and reapply any necessary configuration changes (this has always been the recommended procedure). However, as you'll see below, you'll likely want to do that anyways in order to take full advantage of the new `local.cfg` file.

It is possible to easily override default DSpace configurations (from `dspace.cfg` or `modules/*.cfg` files) in your own `local.cfg` configuration file.

A example `[dspace-source]/dspace/config/local.cfg.EXAMPLE` is provided with DSpace. The example only provides a few key configurations which most DSpace sites are likely to need to customize. However, you may add (or remove) any other configuration to your `local.cfg` to customize it as you see fit.

To get started, simply create your own `[dspace-source]/dspace/config/local.cfg` based on the example, e.g.

```
cd [dspace-source]/dspace/config/  
cp local.cfg.EXAMPLE local.cfg
```

You can then begin to edit your `local.cfg` with your local settings for DSpace. There are a few key things to note about the `local.cfg` file:

- **Override any default configurations:** Any setting in your `local.cfg` will automatically OVERRIDE a setting of the same name in the `dspace.cfg` or any `modules/*.cfg` file. This also means that you can copy ANY configuration (from `dspace.cfg` or any `modules/*.cfg` file) into your `local.cfg` to specify a new value.
  - For example, specifying `dspace.url` in `local.cfg` will override the default value of `dspace.url` in `dspace.cfg`.
  - Also, specifying `oai.solr.url` in `local.cfg` will override the default value of `oai.solr.url` in `config/modules/oai.cfg`
- **Configuration Syntax:** The `local.cfg` file uses the Apache Commons Configuration Property file syntax (like all `*.cfg` files) . For more information see the section on [Configuration File Syntax](#) above.
  - This means the `local.cfg` also supports enhanced features like the ability to include other config files (via "include=" statements).
- **Override local.cfg via System Properties:** As needed, you also are able to OVERRIDE settings in your `local.cfg` by specifying them as System Properties or Environment Variables.
  - For example, if you wanted to change your `dspace.dir` in development/staging environment, you could specify it as a System Property (e.g. `-Ddspace.dir=[new-location]`). This new value will override any value in *both* `local.cfg` and `dspace.cfg`.

When you build DSpace (e.g. mvn package), this `local.cfg` file will be automatically copied to `[dspace]/config/local.cfg`. Similar to the `dspace.cfg`, the "runtime" configuration (used by DSpace) is the one in `[dspace]/config/local.cfg`. See the [Why are there multiple copies of some config files?](#) question above for more details on the runtime vs source configuration.

Here's a very basic example of settings you could place into your `local.cfg` file (with inline comments):

```

# This is a simple example local.cfg file which shows off options
# for creating your own local.cfg

# This overrides the default value of "dspace.dir" in dspace.cfg
dspace.dir = C:/dspace/

# This overrides the default value of "dspace.server.url" in dspace.cfg
dspace.server.url = https://dspace.myuniversity.edu/server

# This overrides the default "dspace.ui.url" setting it to the same value as my "baseUrl" above
dspace.ui.url = https://dspace.myuniversity.edu

# If our database settings are the same as the default ones in dspace.cfg,
# then, we may be able to simply customize the db.username and db.password
db.username = myuser
db.password = mypassword

# For DSpace, we want the LDAP and Password authentication plugins enabled
# This overrides the default AuthenticationMethod in /config/modules/authentication.cfg
# Since we specified the same key twice, these two values are appended (see Configuration File Syntax above)
plugin.sequence.org.dspace.authenticate.AuthenticationMethod = org.dspace.authenticate.LDAPAuthentication
plugin.sequence.org.dspace.authenticate.AuthenticationMethod = org.dspace.authenticate.PasswordAuthentication

# We also can reference other configurations in values.
# For instance, we can set the "mail.admin" and the "feedback.recipient" to be the same email
mail.admin = myemail@myuniversity.edu
feedback.recipient = ${mail.admin}

# For the example, we'll override the default oai.path in /config/modules/oai.cfg
# This puts our OAI-PMH interface at ${dspace.server.url}/oaipmh
oai.path = oaipmh

# We'll also override the default oai.solr.url in /config/modules/oai.cfg
# Notice here we're referencing a configuration (solr.server) that only exists in dspace.cfg
# This is allowed. Your local.cfg can reference configs from other *.cfg files.
oai.solr.url = ${solr.server}/oaipmh

# Finally, this local.cfg also supports adding "include=" statements, to include
# additional local configuration files.
# In this example, a local-rest.cfg and local-curate.cfg (in the same directory)
# will automatically be included as part of this local.cfg.
# This allows you to subdivide your local configs in as many (or few) config files
# as you desire.
include = local-rest.cfg
include = local-curate.cfg

```

## The dspace.cfg Configuration Properties File

Any dspace.cfg setting can be overridden in your local.cfg

 Remember, any of the below dspace.cfg settings can be copied into your [local.cfg configuration file and overridden](#). So, rather than editing the dspace.cfg (or any of the modules/\*.cfg), it's recommended to simply override the default values in your local.cfg. That way, your local.cfg can serve as the record of which configurations you have actually tweaked in your DSpace, which may help to simplify future upgrades.

The dspace.cfg contains basic information about a DSpace installation, including system path information, network host information, and other like items. It is the default configuration file for DSpace, used by DSpace when it is actively running. However, as noted above, any of these default configurations may be overridden in your own local.cfg configuration file.

### Main DSpace Configurations

Property:	dspace.dir
Example Value:	/dspace

Informational Note:	Root directory of DSpace installation. Omit the trailing slash '/'. Note that this setting is used by default in other settings, e.g. <code>assetstore.dir</code> .  (On Windows be sure to use forward slashes for the directory path! For example: "C:/dspace" is a valid path for Window.)
Property:	<code>dspace.server.url</code>
Example Value:	<a href="http://dspace-test.myu.edu:8080">http://dspace-test.myu.edu:8080</a>
Informational Note:	Main URL at which DSpace backend ("server" webapp) is publicly available. If using port 80 (HTTP) or 443 (HTTPS), you may omit the port number. Otherwise the port number must be included. <b>Do not include a trailing slash ('/')</b> . In Production, you must use HTTPS if you wish to access the REST API from a different server/domain.
Property:	<code>dspace.ui.url</code>
Example Value:	<code>dspace.ui.url = <a href="http://dspace-test.myu.edu:4000">http://dspace-test.myu.edu:4000</a></code>
Informational Note:	Main URL at which the DSpace frontend (Angular User Interface) is publicly available. If using port 80 (HTTP) or 443 (HTTPS), you may omit the port number. Otherwise the port number must be included. <b>Do not include a trailing slash ('/')</b> . In Production, you should be using HTTPS for security purposes.  This URL should match the URL you type in the browser to access your User Interface. In the backend, this URL is primarily used to build UI-based URLs in sitemaps, email messages, etc. Therefore, it need not be set on initial installation, but it should be configured as soon as your user interface is installed. If you are not using the DSpace UI (and running the backend "headless"), this may be set to the URL of whatever you consider your primary "user interface".
Property:	<code>dspace.name</code>
Example Value:	<code>dspace.name = DSpace at My University</code>
Informational Note:	Short and sweet site name, used in e-mails, exports and machine interfaces (e.g. OAI-PMH). It is not currently used by the Angular UI.

## General Solr Configuration

DSpace uses [Solr](#) for various indexing purposes, and uses a pool of open connections to manage communication with Solr. These properties configure the connections between DSpace and Solr.

See also the additional Solr configuration properties for specific indexes such as search, statistics, authority and OAI PMH.

Property:	<code>solr.server</code>
Example Value:	<code>solr.server = <a href="http://localhost:8983/solr">http://localhost:8983/solr</a></code>
Informational Note:	Base URL to the Solr server. Specific indexes append to this value.
Property:	<code>solr.client.maxTotalConnections</code>

Example Value:	<code>solr.client.maxTotalConnections = 20</code>
Informational Note:	The maximum number of connections that will be opened between DSpace and Solr.
Property:	<code>solr.client.maxPerRoute</code>
Example Value:	<code>solr.client.maxPerRoute = 15</code>
Informational Note:	The maximum number of connections that will be opened between DSpace and a specific Solr instance (if you have more than one).
Property:	<code>solr.client.keepAlive</code>
Example Value:	<code>solr.client.keepAlive = 5000</code>
Informational Note:	The default amount of time that a connection in use will be held open, in milliseconds. Solr may specify a different keep-alive interval and it will be obeyed.
Property:	<code>solr.client.timeToLive</code>
Example Value:	<code>solr.client.timeToLive = 600</code>
Informational Note:	The maximum amount of time before an open connection will be closed when idle, in seconds. New connections will be opened as needed, subject to the above limits.

## DSpace Database Configuration

Many of the database configurations are software-dependent. That is, it will be based on the choice of database software being used. Currently, DSpace properly supports PostgreSQL and Oracle.

Oracle Support Deprecated - Will no longer be supported in 2023



Oracle support has been deprecated in DSpace. It will no longer be supported as of June/July 2023. See <https://github.com/DSpace/DSpace/issues/8214>

We recommend all users install DSpace on PostgreSQL (see above)

Property:	<code>db.url</code>
Example Value:	<code>db.url = jdbc:postgresql://localhost:5432/dspace</code>
Informational Note:	The above value is the default value when configuring with PostgreSQL. When using Oracle, use this value: <code>jdbc.oracle.thin:@//host:port/dspace</code>
Property:	<code>db.username</code>
Example Value:	<code>db.username = dspace</code>
Informational Note:	In the installation directions, the administrator is instructed to create the user "dspace" who will own the database "dspace".
Property:	<code>db.password</code>
Example Value:	<code>db.password = dspacepassword</code>
Informational Note:	This is the password that was prompted during the installation process (cf. 3.2.3. Installation)
Property:	<code>db.schema</code>

Example Value:	<code>db.schema = public</code>
Informational Note:	If your database contains multiple schemas, you can avoid problems with retrieving the definitions of duplicate objects by specifying the schema name here that is used for DSpace by uncommenting the entry. This property is optional.  For PostgreSQL databases, this is often best set to "public" (default schema). For Oracle databases, the schema is usually equivalent to the username of your database account. So, for Oracle, this may be set to <code>#{db.username}</code> in most scenarios.
Property:	<code>db.maxconnections</code>
Example Value:	<code>db.maxconnections = 30</code>
Informational Note:	Maximum number of Database connections in the connection pool
Property:	<code>db.maxwait</code>
Example Value:	<code>db.maxwait = 5000</code>
Informational Note:	Maximum time to wait before giving up if all connections in pool are busy (in milliseconds).
Property:	<code>db.maxidle</code>
Example Value:	<code>db.maxidle = -1</code>
Informational Note:	Maximum number of idle connections in pool. (-1 = unlimited)
Property:	<code>db.cleanDisabled</code>
Example Value:	<code>db.cleanDisabled = true</code>
Informational Note:	This is a developer-based setting which determines whether you are allowed to run <code>./dspace database clean</code> to completely delete all content and tables in your database. This should always be set to "true" in Production to protect against accidentally deleting all your content by running that command. (Default is set to true)

### To provide the database connection pool externally

Alternately, you may supply a configured connection pool out of JNDI. The object must be named `jdbc/dspace` (the full path is `java:comp/env/jdbc/dspace`). DSpace will always look up this name and, if found, will use the returned object as its database connection pool. If not found, the above `db.*` properties will be used to create the pool.

If you are using Tomcat, then the object might be defined using a `<Resource>` element, or connected to a `<Resource>` child of `<GlobalNamingResources>` using a `<ResourceLink>` element. See your Servlet container's documentation for details of configuring the JNDI initial context. For example, Tomcat provides a useful [JNDI Datasource How-to](#)

Earlier releases of DSpace provided a configuration property `db.jndi` to specify the name to be looked up, but that has been removed. The name is specified in `config/spring/api/core-hibernate.xml` if you really need to change it.

### DSpace Email Settings

The configuration of email is simple and provides a mechanism to alert the person(s) responsible for different features of the DSpace software.

DSpace will look up a `javax.mail.Session` object in JNDI and, if found, will use that to send email. Otherwise it will create a Session using some of the properties detailed below.

Property:	<code>mail.server</code>
-----------	--------------------------

Example Value:	<code>mail.server = smtp.my.edu</code>
Informational Note:	The address on which your outgoing SMTP email server can be reached.
Property:	<code>mail.server.username</code>
Example Value:	<code>mail.server.username = myusername</code>
Informational Note:	SMTP mail server authentication username, if required. This property is optional.
Property:	<code>mail.server.password</code>
Example Value:	<code>mail.server.password = mypassword</code>
Informational Note:	SMTP mail server authentication password, if required. This property is optional.
Property:	<code>mail.server.port</code>
Example Value:	<code>mail.server.port = 25</code>
Informational Note:	The port on which your SMTP mail server can be reached. By default, port 25 is used. Change this setting if your SMTP mailserver is running on another port. This property is optional.
Property:	<code>mail.from.address</code>
Example Value:	<code>mail.from.address = dspace-noreply@myu.edu</code>
Informational Note:	The "From" address for email. Change the 'myu.edu' to the site's host name.
Property:	<code>feedback.recipient</code>
Example Value:	<code>feedback.recipient = dspace-help@myu.edu</code>
Informational Note:	When a user clicks on the feedback link/feature, the information will be sent to the email address of choice. This configuration is currently limited to only one recipient. This is also the email address displayed on the contacts page.
Property:	<code>mail.admin</code>
Example Value:	<code>mail.admin = dspace-help@myu.edu</code>
Example Value:	Email address of the general site administrator (Webmaster). System notifications/reports and other sysadmin emails are sent to this email address.

Property:	mail.admin.name
Example Value:	mail.admin.name = DSpace Administrator
Example Value:	Name associated with the mail.admin email address.
Property:	alert.recipient
Example Value:	alert.recipient = john.doe@myu.edu
Informational Note:	Enter the recipient for server errors and alerts. This property is optional and defaults to the <code>\${mail.admin}</code> setting
Property:	registration.notify
Example Value:	registration.notify = mike.smith@myu.edu
Informational Note:	Enter the recipient that will be notified when a new user registers on DSpace. This property is optional & defaults to no value.
Property:	mail.charset
Example Value:	mail.charset = UTF-8
Informational Note:	Set the default mail character set. This may be over-ridden by providing a line inside the email template '#set(\$charset = "encoding")'. Otherwise this default is used.
Property:	mail.allowed.referrers
Example Value:	mail.allowed.referrers = localhost
Informational Note:	A comma separated list of hostnames that are allowed to refer browsers to email forms. This property is optional. <b>UNSUPPORTED in DSpace 7.0</b>
Property:	mail.extraproperties
Example Value:	<pre># Example which can fix "Could not convert socket to TLS" errors (i.e. SMTP over TLS) mail.extraproperties = mail.smtp.socketFactory.port=587, \     mail.smtp.starttls.enable=true, \     mail.smtp.starttls.required=true, \     mail.smtp.ssl.protocols=TLSv1.2  # Different example of using SSL for your Mail library mail.extraproperties = mail.smtp.socketFactory.port=465, \     mail.smtp.socketFactory.class=javax.net.ssl.SSLSocketFactory, \     mail.smtp.socketFactory.fallback=false</pre>

Informational Note:	If you need to pass extra settings to the Java mail library. Comma separated, equals sign between the key and the value. This property is optional.
Property:	<code>mail.server.disabled</code>
Example Value:	<code>mail.server.disabled = false</code>
Informational Note:	An option is added to disable the mailservier. By default, this property is set to 'false'. By setting value to 'true', DSpace will not send out emails. It will instead log the subject of the email which should have been sent. This is especially useful for development and test environments where production data is used when testing functionality. This property is optional.
Property:	<code>mail.session.name</code>
Example Value:	<code>mail.session.name = myDSpace</code>
Informational Note:	Specifies the name of a javax.mail.Session object stored in JNDI under <code>java:comp/env/mail</code> . The default value is "Session".
Property:	<code>default.language</code>
Example Value:	<code>default.language = en_US</code>
Informational Note:	If no other language is explicitly stated in the <i>submission-forms.xml</i> , the default language will be attributed to the metadata values. See also <a href="#">Multilingual Support</a>
Property:	<code>mail.message.headers</code>
Example Value:	<code>mail.message.headers = subject</code> <code>mail.message.headers = charset</code>
Informational Note:	When processing a message template, setting a Velocity variable whose name is one of the values of this configuration property will add or replace a message header of the same name, using the value of the variable as the header's value. See "Templates can set message headers".
Property:	<code>mail.welcome.enabled</code>
Example Value:	<code>mail.welcome.enabled = true</code>
Informational Note:	Enable a "welcome letter" to the newly-registered user. By default this is false. See the <code>welcome</code> email template.

## Wording of E-mail Messages

Sometimes DSpace automatically sends e-mail messages to users, for example, to inform them of a new work flow task, or as a subscription e-mail alert. The wording of e-mails can be changed by editing the relevant file in `[dspace]/config/emails`. Each file is commented. Be careful to keep the right number 'placeholders' (e.g. `#{params[2]}`) for the template's positional parameters.

Each file is a [Velocity](#) template. You can use the full [Velocity Template Language](#) to help you customize messages. There are two Velocity variables pre-defined by DSpace when processing an e-mail template:

- `params` is the array of message parameters provided by the DSpace code which is sending the message. These are indexed by number, starting at zero.
- `config` is the table of DSpace configuration properties (such as `dspace.name`). These are looked up using `config.get(property name)`.

### Sample message template

```
## This is a comment. It will not be part of the message.
This is the body of the message. The code which sends it supplied two parameters: ${params[0]} and ${params
[1]}.
The name of this DSpace instance is ${config.get('dspace.name')} and you can browse it at ${config.get('dspace.
url')}.
```

Also see the template `config/emails/register` for an example of each.

**Note:** You should replace the contact-information "`dspace-help@myu.edu` or call us at xxx-555-xxxx" with your own contact details in:  
`config/emails/change_password`  
`config/emails/register`

### Templates can set message headers

A template can set specific message headers by defining Velocity variables which have been enabled for this use by naming them as values of the DSpace configuration property `mail.message.headers`. In most cases the name of the Velocity variable will become the header's name, and the value of the variable, the header's value. For example: `#set(My-Header, "Hello World!")` in a template will result in the message having a header `My-Header: Hello World!` if DSpace's `mail.message.headers` includes "My-Header".

A few Velocity variable names are special in DSpace email templates:

name	meaning
subject	supplies the Subject: header's value.
charset	sets the <code>charset</code> parameter of the <code>Content-Type:</code> header of the bodypart, when there is a single bodypart. It also causes the subject value to be treated as being encoded in this charset. If not set, the charset defaults to US-ASCII as specified in RFC 2046. If there are multiple bodyparts, all are assumed to be encoded in US-ASCII and <code>charset</code> has no effect on them.

### Sample message template

```
## This is a comment. It will not be part of the sent message.
#set($subject = "This will be the Subject: of the message")
This is the body of the message.
```

## File Storage

Beginning with DSpace 6, your file storage location (aka bitstore) is now defined in the `[dspace]/config/spring/api/bitstore.xml` Spring configuration file. By default it is defined as the `[dspace]/assetstore/`. More information on modifying your file storage location can be found at [Configuring the Bitstream Store](#) in the [Storage Layer](#) documentation.

DSpace supports multiple options for storing your repository bitstreams (uploaded files). The files are not stored in the database, instead they are provided via a configured "assetstore" or "bitstore".

By default, the assetstore is simply a directory on your server (`[dspace]/assetstore/`) under which bitstreams (files) are stored by DSpace.

At this time, DSpace supports two primary locations for storing your files:

1. Your local filesystem (used by default), specifically under the `[dspace]/assetstore/` directory
2. OR, [Amazon S3](#) (requires your own Amazon S3 account)

More information on configuring or customizing the storage location of your files can be found in the [Storage Layer](#) documentation.

## Logging Configuration

Logging configuration has now moved to `${dspace.dir}/config/log4j2.xml`

Property:	<code>log.init.config</code>
Example Value:	<code>log.init.config = \${dspace.dir}/config/log4j2.xml</code>

Informational Note:	This is where your logging configuration file is located. You may override the default log4j configuration by providing your own. Existing alternatives are:  <pre>log.init.config = \${dspace.dir}/config/log4j2.xml log.init.config = \${dspace.dir}/config/log4j2-console.xml</pre>
Property:	<code>log.dir</code> (defined in <code>log4j2.xml</code> )
Example value:	<code>log.dir = \${log4j:configParentLocation}/../log</code>
Informational Note:	This is where to put the DSpace logs. The default setting (shown above) writes all DSpace logs to the <code>\${dspace.dir}/log/</code> directory.
Property:	<code>loglevel.dspace</code> (defined in <code>log4j2.xml</code> )
Example value:	<code>loglevel.dspace = INFO</code>
Informational Note:	Log level for all DSpace-specific code ( <code>org.dspace.*</code> packages). By default, DSpace only provides general INFO logs (in order to keep log sizes reasonable). As necessary, you can temporarily change this setting to any of the following (ordered for most information to least): DEBUG, INFO, WARN, ERROR, FATAL  Please be aware we do not recommend running at the DEBUG level in Production for significant periods of time, as it will cause the logs to be extremely large in size.
Property:	<code>loglevel.other</code> (defined in <code>log4j2.xml</code> )
Example value:	<code>loglevel.other = INFO</code>
Informational Note:	Log level for other third-party tools/APIs used by DSpace (non-DSpace specific code). By default, DSpace only provides general INFO logs (in order to keep log sizes reasonable). As necessary, you can temporarily change this setting to any of the following (ordered for most information to least): DEBUG, INFO, WARN, ERROR, FATAL  Please be aware we do not recommend running at the DEBUG level in Production for significant periods of time, as it will cause the logs to be extremely large in size.

## General Plugin Configuration

Property:	<code>plugin.classpath</code>
Example Value:	<code>/opt/dspace/plugins/aPlugin.jar:/opt/dspace/moreplugins</code>
Informational Note:	Search path for third-party plugin classes. This is a colon-separated list of directories and JAR files, each of which will be searched for plugin classes after looking in all the places where DSpace classes are found. In this way you can designate one or more locations for plugin files which will not be affected by DSpace upgrades.

## Configuring the Search Engine

DSpace's search module is also known as "Discovery" and utilizes Apache Solr for indexing. It provides up-to-date features, such as filtering/faceting, hit highlighting, search snippets, etc.

Detailed documentation is available for customization, see [Discovery](#).

## Handle Server Configuration

The CNRI Handle system is a 3rd party service for maintaining persistent URL's. For a nominal fee, you can register a handle prefix for your repository. As a result, your repository items will be also available under the links <http://handle.net/<<handle prefix>>/<<item id>>>. As the base url of your repository might change or evolve, the persistent handle.net URL's secure the consistency of links to your repository items. For complete information regarding the Handle server, the user should consult [Handle.Net Registry Support](#).

Property:	<code>handle.canonical.prefix</code>
Example Value:	<code>handle.canonical.prefix = <a href="http://hdl.handle.net/">http://hdl.handle.net/</a> handle.canonical.prefix = \${dspace.ui.url}/handle/</code>
Informational Note:	Canonical Handle URL prefix. By default, DSpace is configured to use <a href="http://hdl.handle.net/">http://hdl.handle.net/</a> as the canonical URL prefix when generating <code>dc.identifier.uri</code> during submission, and in the 'identifier' displayed in item record pages. If you do not subscribe to CNRI's handle service, you can change this to match the persistent URL service you use, or you can force DSpace to use your site's URL, e.g. <code>handle.canonical.prefix = \${dspace.ui.url}/handle/</code> . Note that this will not alter <code>dc.identifier.uri</code> metadata for existing items (only for subsequent submissions).
Property:	<code>handle.prefix</code>
Example Value:	<code>handle.prefix = 1234.56789</code>
Informational Note:	The default installed by DSpace is 123456789 but you will replace this upon receiving a handle from CNRI.
Property:	<code>handle.dir</code>
Example Value:	<code>handle.dir = \${dspace.dir}/handle-server</code>
Informational Note:	The default files, as shown in the Example Value is where DSpace will install the files used for the Handle Server.
Property:	<code>handle.additional.prefixes</code>
Example Value:	<code>handle.additional.prefixes = 1234.56789.0, 1234.56789.1, 987</code>

Informational Note:	List any additional prefixes that need to be managed by this handle server. For example, any handle prefixes that came from an external repository whose items have now been added to this DSpace. Multiple additional prefixes may be added in a comma separated list.
---------------------	---

## Delegation Administration: Authorization System Configuration

It is possible to delegate the administration of Communities and Collections. This functionality eliminates the need for an Administrator Superuser account for these purposes. An EPerson that will be attributed Delegate Admin rights for a certain community or collection will also "inherit" the rights for underlying collections and items. As a result, a community admin will also be collection admin for all underlying collections. Likewise, a collection admin will also gain admin rights for all the items owned by the collection.

Authorization to execute the functions that are allowed to user with WRITE permission on an object will be attributed to be the ADMIN of the object (e.g. community/collection/admin will be always allowed to edit metadata of the object). The default will be "true" for all the configurations.

Community Administration: Subcommunities and Collections	
Property:	<code>core.authorization.community-admin.create-subelement</code>
Example Value:	<code>core.authorization.community-admin.create-subelement = true</code>
Informational Note:	Authorization for a delegated community administrator to create subcommunities or collections.
Property:	<code>core.authorization.community-admin.delete-subelement</code>
Example Value:	<code>core.authorization.community-admin.delete-subelement = true</code>
Informational Note:	Authorization for a delegated community administrator to delete subcommunities or collections.
Community Administration: Policies and The group of administrators	
Property:	<code>core.authorization.community-admin.policies</code>
Example Value:	<code>core.authorization.community-admin.policies = true</code>
Informational Note:	Authorization for a delegated community administrator to administrate the community policies.
Property:	<code>core.authorization.community-admin.admin-group</code>
Example Value:	<code>core.authorization.community-admin.admin-group = true</code>
Informational Note:	Authorization for a delegated community administrator to edit the group of community admins.
Community Administration: Collections in the above Community	
Property:	<code>core.authorization.community-admin.collection.policies</code>
Example Value:	<code>core.authorization.community-admin.collection.policies = true</code>
Informational Note:	Authorization for a delegated community administrator to administrate the policies for underlying collections.
Property:	<code>core.authorization.community-admin.collection.template-item</code>
Example Value:	<code>core.authorization.community-admin.collection.template-item = true</code>
Informational Note:	Authorization for a delegated community administrator to administrate the item template for underlying collections.
Property:	<code>core.authorization.community-admin.collection.submitters</code>
Example Value:	<code>core.authorization.community-admin.collection.submitters = true</code>
Informational Note:	Authorization for a delegated community administrator to administrate the group of submitters for underlying collections.
Property:	<code>core.authorization.community-admin.collection.workflows</code>

Example Value:	<code>core.authorization.community-admin.collection.workflows = true</code>
Informational Note:	Authorization for a delegated community administrator to administrate the workflows for underlying collections.
Property:	<code>core.authorization.community-admin.collection.admin-group</code>
Example Value:	<code>core.authorization.community-admin.collection.admin-group = true</code>
Informational Note:	Authorization for a delegated community administrator to administrate the group of administrators for underlying collections.
<b>Community Administration: Items Owned by Collections in the Above Community</b>	
Property:	<code>core.authorization.community-admin.item.delete</code>
Example Value:	<code>core.authorization.community-admin.item.delete = true</code>
Informational Note:	Authorization for a delegated community administrator to delete items in underlying collections.
Property:	<code>core.authorization.community-admin.item.withdraw</code>
Example Value:	<code>core.authorization.community-admin.item.withdraw = true</code>
Informational Note:	Authorization for a delegated community administrator to withdraw items in underlying collections.
Property:	<code>core.authorization.community-admin.item.reinstate</code>
Example Value:	<code>core.authorization.community-admin.item.reinstate = true</code>
Informational Note:	Authorization for a delegated community administrator to reinstate items in underlying collections.
Property:	<code>core.authorization.community-admin.item.policies</code>
Example Value:	<code>core.authorization.community-admin.item.policies = true</code>
Informational Note:	Authorization for a delegated community administrator to administrate item policies in underlying collections.
<b>Community Administration: Bundles of Bitstreams, related to items owned by collections in the above Community</b>	
Property:	<code>core.authorization.community-admin.item.create-bitstream</code>
Example Value:	<code>core.authorization.community-admin.item.create-bitstream = true</code>
Informational Note:	Authorization for a delegated community administrator to create additional bitstreams in items in underlying collections.
Property:	<code>core.authorization.community-admin.item.delete-bitstream</code>
Example Value:	<code>core.authorization.community-admin.item.delete-bitstream = true</code>
Informational Note:	Authorization for a delegated community administrator to delete bitstreams from items in underlying collections.
Property:	<code>core.authorization.community-admin.item.cc-license</code>
Example Value:	<code>core.authorization.community-admin.item.cc-license = true</code>
Informational Note:	Authorization for a delegated community administrator to administer licenses from items in underlying collections.
Collection Administration: The properties for collection administrators work similar to those of community administrators, with respect to collection administration.	<pre> core.authorization.collection-admin.policies core.authorization.collection-admin.template-item core.authorization.collection-admin.submitters core.authorization.collection-admin.workflows core.authorization.collection-admin.admin-group </pre>

<p>Collection Administration: Item owned by the above Collection. The properties for collection administrators work similar to those of community administrators, with respect to administration of items in underlying collections.</p>	<pre>core.authorization.collection-admin.item.delete core.authorization.collection-admin.item.withdraw core.authorization.collection-admin.item.reinstatiate core.authorization.collection-admin.item.policies</pre>
<p>Collection Administration: Bundles of bitstreams, related to items owned by collections in the above Community. The properties for collection administrators work similar to those of community administrators, with respect to administration of bitstreams related to items in underlying collections.</p>	<pre>core.authorization.collection-admin.item.create-bitstream core.authorization.collection-admin.item.delete-bitstream core.authorization.collection-admin.item-admin.cc-license</pre>
<p>Item Administration. The properties for item administrators work similar to those of community and collection administrators, with respect to administration of items in underlying collections.</p>	<pre>core.authorization.item-admin.policies</pre>
<p>Item Administration: Bundles of bitstreams, related to items owned by collections in the above Community. The properties for item administrators work similar to those of community and collection administrators, with respect to administration of bitstreams related to items in underlying collections.</p>	<pre>core.authorization.item-admin.create-bitstream core.authorization.item-admin.delete-bitstream core.authorization.item-admin.cc-license</pre>

## Inheritance of collection default policy (since 7.1)

Property:	<code>core.authorization.installitem.inheritance-read.append-mode</code>
Example Value:	<code>core.authorization.installitem.inheritance-read.append-mode = false</code>
Informational Note:	Determine if the DEFAULT READ policies of the collection should be always appended to the policies of the new item (property set to <b>true</b> ) or used only when no other READ policy has been defined in the submission process (property set to <b>false</b> ). Please note that also in append mode an open access default policy will be NOT inherited if other policies have been defined in the submission (i.e. if the item was restricted)

## Login as feature

Property:	<code>webui.user.assumelogin</code>
Example Value:	<code>webui.user.assumelogin = true</code>
Informational Note:	Determine if super administrators (those whom are in the Administrators group) can login as another user from the "edit eperson" page. This is useful for debugging problems in a running DSpace instance, especially in the workflow process. The default value is false, i.e., no one may assume the login of another user.

## Restricted Item Visibility Settings

By default RSS feeds and subscription emails will include ALL items regardless of permissions set on them. If you wish to only expose items through these channels where the ANONYMOUS user is granted READ permission, then set the following options to false.

Property:	<code>harvest.includerestricted.rss</code>
Example Value:	<code>harvest.includerestricted.rss = true</code>
Informational Note:	When set to 'true' (default), items that haven't got the READ permission for the ANONYMOUS user, will be included in RSS feeds anyway.

Property:	<code>harvest.includerestricted.subscription</code>
Example Value:	<code>harvest.includerestricted.subscription = true</code>
Informational Note:	When set to true (default), items that haven't got the READ permission for the ANONYMOUS user, will be included in Subscription emails anyway.

## Proxy Settings

These settings for proxy are commented out by default. Uncomment and specify both properties if proxy server is required for external http requests. Use regular host name without port number.

Property:	<code>http.proxy.host</code>
Example Value:	<code>http.proxy.host = proxy.myu.edu</code>
Informational Note:	Enter the host name without the port number. <i>Only currently used for Creative Commons licensing feature (to contact their API), and Sitemap generation (to ping search server regarding updates)</i>
Property:	<code>http.proxy.port</code>
Example Value:	<code>http.proxy.port = 2048</code>
Informational Note:	Enter the port number for the proxy server. <i>Only currently used for Creative Commons licensing feature (to contact their API), and Sitemap generation (to ping search server regarding updates)</i>
Property:	<code>useProxies</code>
Example Value:	<code>useProxies = true</code>
Informational Note:	<p>As of DSpace 7 (and above), this setting defaults to <b>true</b>. If "useProxies" is enabled, the authentication and statistics logging code will read the X-Forwarded-For header in order to determine the correct client IP address.</p> <p>As the User Interface uses <a href="#">Angular Universal</a> (for SEO support), the proxy server that comes with Angular Universal is always enabled. By default, only your local server (127.0.0.1) and the public IP address of <code>dspace.ui.url</code> are "trusted" as a proxy. If your DSpace instance is protected by external proxy server, you may need to update the "proxies.trusted.ipranges" property below.</p> <p>This also affects IPAuthentication, and should be enabled for that to work properly if your installation uses a proxy server.</p>
Property:	<code>proxies.trusted.ipranges</code>
Example Value:	<code>proxies.trusted.ipranges = 127.0.0.1</code>
Informational Note:	<p>By default, only proxies running on localhost (127.0.0.1) and the <code>dspace.ui.url</code> (public IP address) are "trusted". This allows our Angular User Interface to communicate with the REST API via a trusted proxy, which is required for <a href="#">Angular Universal</a> (for SEO support).</p> <p>You can specify a range by only listing the first three ip-address blocks, e.g. 128.177.243 You can list multiple IP addresses or ranges by comma-separating them.</p>
Property:	<code>proxies.trusted.include_ui_ip</code>
Example Value:	<code>proxies.trusted.include_ui_ip = true</code>

Informational Note:	This setting specifies whether to automatically trust IP address of the <code>dspace.ui.url</code> as a proxy. By default, this is always set to true to ensure the UI is fully trusted by the backend. However, if you are not using the Angular UI, you may choose to set this to "false" in order to only trust proxies running on localhost (127.0.0.1) by default.
Property:	<code>server.forward-headers-strategy</code>
Example Value:	<code>server.forward-headers-strategy = FRAMEWORK</code>
Informational Note:	<p>This is a Spring Boot setting which may be overridden/specified in your <code>local.cfg</code>. By default, Spring Boot does not automatically use X-Forwarded-* Headers when generating links (and similar) in the REST API. When using a proxy in front of the REST API, you may need to modify this setting:</p> <ul style="list-style-type: none"> <li>• NATIVE = allows your web server to natively support standard Forwarded headers</li> <li>• FRAMEWORK = enables Spring Framework's built in filter to manage these headers in Spring Boot. (This value may be useful to set for DSpace if you find that X-Forwarded headers are not working)</li> <li>• NONE = default value. Forwarded headers are ignored</li> </ul> <p>For more information see the Spring Boot docs at <a href="https://docs.spring.io/spring-boot/docs/current/reference/html/howto.html#howto-use-behind-a-proxy-server">https://docs.spring.io/spring-boot/docs/current/reference/html/howto.html#howto-use-behind-a-proxy-server</a></p>

## Configuring Media Filters

Media or Format Filters are classes used to generate derivative or alternative versions of content or bitstreams within DSpace. For example, the PDF Media Filter will extract textual content from PDF bitstreams, the JPEG Media Filter can create thumbnails from image bitstreams.

Media Filters are configured as Named Plugins, with each filter also having a separate configuration setting (in `dspace.cfg`) indicating which formats it can process. The default configuration is shown below.

Property:	<code>filter.plugins</code>
Example Value:	<pre>filter.plugins = PDF Text Extractor filter.plugins = Html Text Extractor filter.plugins = Word Text Extractor filter.plugins = JPEG Thumbnail</pre>
Informational Note:	This setting lists the names of all enabled MediaFilter or FormatFilter plugins. To enable multiple plugins, list them on separate lines (as shown above) or provide a comma separated list.
Property:	<code>plugin.named.org.dspace.app.mediafilter.FormatFilter</code>
Example Value:	<pre>plugin.named.org.dspace.app.mediafilter.FormatFilter = org.dspace.app.mediafilter.PDFFilter = PDF Text Extractor plugin.named.org.dspace.app.mediafilter.FormatFilter = org.dspace.app.mediafilter.HTMLFilter = HTML Text Extractor plugin.named.org.dspace.app.mediafilter.FormatFilter = org.dspace.app.mediafilter.WordFilter = Word Text Extractor plugin.named.org.dspace.app.mediafilter.FormatFilter = org.dspace.app.mediafilter.JPEGFilter = JPEG Thumbnail plugin.named.org.dspace.app.mediafilter.FormatFilter = org.dspace.app.mediafilter.BrandedPreviewJPEGFilter = Branded Preview JPEG</pre>
Informational Note:	Assign "human-understandable" names to each filter. These names are used to enable/disable plugins using "filter.plugins" setting above. As with the previous setting, multiple plugins can be listed here on separate lines (or comma separated)

Property:	<pre>filter.org.dspace.app.mediafilter.PDFFilter.inputFormats filter.org.dspace.app.mediafilter.HTMLFilter.inputFormats filter.org.dspace.app.mediafilter.WordFilter.inputFormats filter.org.dspace.app.mediafilter.JPEGFilter.inputFormats filter.org.dspace.app.mediafilter.BrandedPreviewJPEGFilter.inputFormats</pre>
Example Value:	<pre>filter.org.dspace.app.mediafilter.PDFFilter.inputFormats = Adobe PDF filter.org.dspace.app.mediafilter.HTMLFilter.inputFormats = HTML, Text filter.org.dspace.app.mediafilter.WordFilter.inputFormats = Microsoft Word filter.org.dspace.app.mediafilter.JPEGFilter.inputFormats = BMP, GIF, JPEG, \     image/png filter.org.dspace.app.mediafilter.BrandedPreviewJPEGFilter.inputFormats = BMP, \     GIF, JPEG, image/png</pre>
Informational Note:	Configure each filter's input format(s). These must match format names in the DSpace file format registry.
Property:	filter.org.dspace.app.mediafilter.publicPermission
Example Value:	filter.org.dspace.app.mediafilter.publicPermission = JPEGFilter
	Optionally, configure filter(s) which should <b>always</b> create publicly accessible bitstreams (e.g. useful if you want thumbnails to always be publicly accessible). By default, any bitstreams created by a filter will inherit the same permissions as the original file (e.g. if original image is access restricted, then thumbnail will also be access restricted by default).
Property:	pdffilter.largepdfs
Example Value:	pdffilter.largepdfs = true
Informational Note:	If this value is set for "true", all PDF extractions are written to temp files as they are indexed. This is slower, but helps to ensure that PDFBox software DSpace uses does not eat up all your memory.
Property:	pdffilter.skiponmemoryexception
Example Value:	pdffilter.skiponmemoryexception = true
Informational Note:	If this value is set for "true", PDFs which still result in an "Out of Memory" error from PDFBox are skipped over. These problematic PDFs will never be indexed until memory usage can be decreased in the PDFBox software.

Names are assigned to each filter using the `plugin.named.org.dspace.app.mediafilter.FormatFilter` field (e.g. by default the PDFFilter is named "PDF Text Extractor").

Finally, the appropriate `filter.<class path>.inputFormats` defines the valid input formats which each filter can be applied. These format names **must match** the `short description` field of the Bitstream Format Registry.

You can also implement more dynamic or configurable Media/Format Filters which extend `SelfNamedPlugin`.

More Information on MediaFilters

 For more information on Media/Format Filters, see the section on [Mediafilters for Transforming DSpace Content](#).

## Crosswalk and Packager Plugin Settings

The subsections below give configuration details based on the types of crosswalks and packager plugins you need to implement.

More Information on Packagers & Crosswalks

 For more information on using Packagers and Crosswalks, see the section on [Importing and Exporting Content via Packages](#).

## Configurable MODS Dissemination Crosswalk

The MODS crosswalk is a self-named plugin. To configure an instance of the MODS crosswalk, add a property to the DSpace configuration starting with "crosswalk.mods.properties."; the final word of the property name becomes the plugin's name. For example, a property name `crosswalk.mods.properties.MODS` defines a crosswalk plugin named "MODS".

The value of this property is a path to a separate properties file containing the configuration for this crosswalk. The pathname is relative to the DSpace configuration directory, i.e. the `config` subdirectory of the DSpace install directory. Example from the `dspace.cfg` file:

Properties:	<code>crosswalk.mods.properties.MODS</code> <code>crosswalk.mods.properties.mods</code>
Example Values:	<code>crosswalk.mods.properties.MODS = crosswalks/mods.properties</code> <code>crosswalk.mods.properties.mods = crosswalks/mods.properties</code>
Informational Note:	This defines a crosswalk named MODS whose configuration comes from the file <code>[dspace]/config/crosswalks/mods.properties</code> . (In the above example, the lower-case name was added for OAI-PMH)

The MODS crosswalk properties file is a list of properties describing how DSpace metadata elements are to be turned into elements of the MODS XML output document. The property name is a concatenation of the metadata schema, element name, and optionally the qualifier. For example, the `contributor.author` element in the native Dublin Core schema would be: `dc.contributor.author`. The value of the property is a line containing two segments separated by the vertical bar ("|"): The first part is an XML fragment which is copied into the output document. The second is an XPath expression describing where in that fragment to put the value of the metadata element. For example, in this property:

```
dc.contributor.author = <mods:name>
                        <mods:role>
                          <mods:roleTerm type="text">author</mods:roleTerm>
                        </mods:role>
                        <mods:namePart>%s</mods:namePart>
                      </mods:name>
```

Some of the examples include the string "%s" in the prototype XML where the text value is to be inserted, but don't pay any attention to it, it is an artifact that the crosswalk ignores. For example, given an author named *Jack Florey*, the crosswalk will insert

```
<mods:name>
  <mods:role>
    <mods:roleTerm type="text">author</mods:roleTerm>
  </mods:role>
  <mods:namePart>Jack Florey</mods:namePart>
</mods:name>
```

into the output document. Read the example configuration file for more details.

## XSLT-based Crosswalks

The XSLT crosswalks use XSL stylesheet transformation (XSLT) to transform an XML-based external metadata format to or from DSpace's internal metadata. XSLT crosswalks are much more powerful and flexible than the configurable MODS and QDC crosswalks, but they demand some esoteric knowledge (XSL stylesheets). Given that, you can create all the crosswalks you need just by adding stylesheets and configuration lines, without touching any of the Java code.

The default settings in the `dspace.cfg` file for submission crosswalk:

Properties:	<code>crosswalk.submission.MODS.stylesheet</code>
Example Value:	<code>crosswalk.submission.MODS.stylesheet = crosswalks/mods-submission.xsl</code>
Informational Note:	Configuration XSLT-driven submission crosswalk for MODS

As shown above, there are three (3) parts that make up the properties "key":

```
crosswalk.submission.PluginName.stylesheet =
      1           2           3           4
```

crosswalk first part of the property key.

submission second part of the property key.

PluginName is the name of the plugin. The *path* value is the path to the file containing the crosswalk stylesheet (relative to `[[dspace]/config]`).

Here is an example that configures a crosswalk named "LOM" using a stylesheet in `[[dspace]/config/crosswalks/d-lom.xsl`:

```
crosswalk.submission.LOM.stylesheet = crosswalks/d-lom.xsl
```

A dissemination crosswalk can be configured by starting with the property key *crosswalk.dissemination*. Example:

```
crosswalk.dissemination.PluginName.stylesheet = path
```

The *PluginName* is the name of the plugin (!). The *path* value is the path to the file containing the crosswalk stylesheet (relative to `[[dspace]/config]`).

You can make two different plugin names point to the same crosswalk, by adding two configuration entries with the same path:

```
crosswalk.submission.MyFormat.stylesheet = crosswalks/myformat.xslt
crosswalk.submission.almost_DC.stylesheet = crosswalks/myformat.xslt
```

The dissemination crosswalk must also be configured with an XML Namespace (including prefix and URI) and an XML schema for its output format. This is configured on additional properties in the DSpace configuration:

```
crosswalk.dissemination.PluginName.namespace.Prefix = namespace-URI
crosswalk.dissemination.PluginName.schemaLocation = schemaLocation value
```

For example:

```
crosswalk.dissemination.qdc.namespace.dc = http://purl.org/dc/elements/1.1/
crosswalk.dissemination.qdc.namespace.dcterms = http://purl.org/dc/terms/
crosswalk.dissemination.qdc.schemaLocation = http://purl.org/dc/elements/1.1/ \
http://dublincore.org/schemas/xmls/qdc/2003/04/02/qualifieddc.xsd
```

If you remove all XSLTDisseminationCrosswalks please disable the XSLTDisseminationCrosswalk in the list of selfnamed plugins. If no XSLTDisseminationCrosswalks are configured but the plugin is loaded the PluginManager will log an error message ("Self-named plugin class "org.dspace.content.crosswalk.XSLTDisseminationCrosswalk" returned null or empty name list!").

## Testing XSLT Crosswalks

The XSLT crosswalks will automatically reload an XSL stylesheet that has been modified, so you can edit and test stylesheets without restarting DSpace. You can test a crosswalk by using a command-line utility. To test a dissemination crosswalk you have to run:

```
[dspace]/bin/dspace dsrun org.dspace.content.crosswalk.XSLTDisseminationCrosswalk <plugin name> <handle>
[output-file]
```

For example, you can test the marc plugin on the handle 123456789/3 with:

```
[dspace]/bin/dspace dsrun org.dspace.content.crosswalk.XSLTDisseminationCrosswalk marc 123456789/3
```

Information from the script will be printed to stderr while the XML output of the dissemination crosswalk will be printed to stdout. You can give a third parameter containing a filename to write the output into a file, but be careful: the file will be overwritten if it exists. When you are working on XSLTCrosswalks it is very helpful to get the original XML on which the XSLT processor works. Use the crosswalk *dim* to get the original XML:

```
[dspace]/bin/dspace dsrun org.dspace.content.crosswalk.XSLTDisseminationCrosswalk dim 123456789/3
```

Testing a submission crosswalk works quite the same way. Use the following command-line utility, it calls the crosswalk plugin to translate an XML document you submit, and displays the resulting intermediate XML (DIM). Invoke it with:

```
[dspace]/bin/dspace dsrun
org.dspace.content.crosswalk.XSLTIngestionCrosswalk [-l] <plugin name> <input-file>
```

where *<plugin name>* is the name of the crosswalk plugin to test (e.g. "LOM"), and *<input-file>* is a file containing an XML document of metadata in the appropriate format.

Add the `-l` option to pass the ingestion crosswalk a list of elements instead of a whole document, as if the List form of the `ingest()` method had been called. This is needed to test ingesters for formats like DC that get called with lists of elements instead of a root element.

## Configurable Qualified Dublin Core (QDC) dissemination crosswalk

The QDC crosswalk is a self-named plugin. To configure an instance of the QDC crosswalk, add a property to the DSpace configuration starting with `"crosswalk.qdc.properties."`; the final word of the property name becomes the plugin's name. For example, a property name `crosswalk.qdc.properties.QDC` defines a crosswalk plugin named "QDC".

The following is from `dspace.cfg` file:

Properties:	<code>crosswalk.qdc.namespace.qdc.dc</code>
Example Value:	<code>crosswalk.qdc.namespace.qdc.dc = http://purl.org/dc/elements/1.1_</code>
Properties:	<code>crosswalk.qdc.namespace.qdc.dcterms</code>
Example Value:	<code>crosswalk.qdc.namespace.qdc.dc = http://purl.org/dc/terms/_</code>
Properties:	<code>crosswalk.qdc.schemaLocation.QDC</code>
Example Value:	<pre>crosswalk.qdc.schemaLocation.QDC = http://www.purl.org/dc/terms \   http://dublincore.org/schemas/xmls/qdc/2006/01/06/dcterms.xsd \   http://purl.org/dc/elements/1.1 \   http://dublincore.org/schemas/xmls/qdc/2006/01/06/dc.xsd</pre>
Properties:	<code>crosswalk.qdc.properties.QDC</code>
Example Value:	<code>crosswalk.qdc.properties.QDC = crosswalks/QDC.properties</code>
Informational Note:	Configuration of the QDC Crosswalk dissemination plugin for Qualified DC. (Add lower-case name for OAI-PMH. That is, change QDC to qdc.)

In the property key `"crosswalk.qdc.properties.QDC"` the value of this property is a path to a separate properties file containing the configuration for this crosswalk. The pathname is relative to the DSpace configuration directory `/[dspace]/config`. Referring back to the "Example Value" for this property key, one has `crosswalks/qdc.properties` which defines a crosswalk named QDC whose configuration comes from the file `[dspace]/config/crosswalks/qdc.properties`.

You will also need to configure the namespaces and schema location strings for the XML output generated by this crosswalk. The namespaces properties names are formatted:

```
crosswalk.qdc.namespace.prefix = uri
```

where `prefix` is the namespace prefix and `uri` is the namespace URI. See the above Property and Example Value keys as the default `dspace.cfg` has been configured.

The QDC crosswalk properties file is a list of properties describing how DSpace metadata elements are to be turned into elements of the Qualified DC XML output document. The property name is a concatenation of the metadata schema, element name, and optionally the qualifier. For example, the `contributor.author` element in the native Dublin Core schema would be: `dc.contributor.author`. The value of the property is an XML fragment, the element whose value will be set to the value of the metadata field in the property key.

For example, in this property:

```
dc.coverage.temporal = <dcterms:temporal />
```

the generated XML in the output document would look like, e.g.:

```
<dcterms:temporal>Fall, 2005</dcterms:temporal>
```

## Configuring Crosswalk Plugins

Ingestion crosswalk plugins are configured as named or self-named plugins for the interface `org.dspace.content.crosswalk.IngestionCrosswalk`. Dissemination crosswalk plugins are configured as named or self-named plugins for the interface `org.dspace.content.crosswalk.DisseminationCrosswalk`.

You can add names for existing crosswalks, add new plugin classes, and add new configurations for the configurable crosswalks as noted below.

## Configuring Packager Plugins

Package ingester plugins are configured as named or self-named plugins for the interface `org.dspace.content.packager.PackageIngester`. Package disseminator plugins are configured as named or self-named plugins for the interface `org.dspace.content.packager.PackageDisseminator`.

You can add names for the existing plugins, and add new plugins, by altering these configuration properties. See the [Plugin Manager architecture](#) for more information about plugins.

## Event System Configuration

If you are unfamiliar with the Event System in DSpace, and require additional information with terms like "Consumer" and "Dispatcher" please refer to [Event SystemPrototype](#).

Property:	<code>event.dispatcher.default.class</code>
Example Value:	<code>event.dispatcher.default.class = org.dspace.event.BasicDispatcher</code>
Informational Note:	This is the default synchronous dispatcher (Same behavior as traditional DSpace).
Property:	<code>event.dispatcher.default.consumers</code>
Example Value:	<code>event.dispatcher.default.consumers = search, browse, eperson</code>
Informational Note:	This is the default synchronous dispatcher (Same behavior as traditional DSpace).
Property:	<code>event.dispatcher.noindex.class</code>
Example Value:	<code>event.dispatcher.noindex.class = org.dspace.event.BasicDispatcher</code>
Informational Note:	The noindex dispatcher will not create search or browse indexes (useful for batch item imports).
Property:	<code>event.dispatcher.noindex.consumers</code>
Example Value:	<code>event.dispatcher.noindex.consumers = eperson</code>
Informational Note:	The noindex dispatcher will not create search or browse indexes (useful for batch item imports).
Property:	<code>event.consumer.discovery.class</code>
Example Value:	<code>event.consumer.discovery.class = org.dspace.discovery.IndexEventConsumer</code>
Informational Note:	Consumer to maintain the search/browse (Discovery) index.
Property:	<code>event.consumer.discovery.filters</code>
Example Value:	<code>event.consumer.discovery.filters = Community   Collection   Item   Bundle   Site+Add   Create   Modify   Modify_Metadata   Delete   Remove</code>
Informational Note:	Consumer to maintain the search/browse (Discovery) index.
Property:	<code>event.consumer.eperson.class</code>
Example Value:	<code>event.consumer.eperson.class = org.dspace.eperson.EPersonConsumer</code>
Informational Note:	Consumer related to EPerson changes
Property:	<code>event.consumer.eperson.filters</code>
Example Value:	<code>event.consumer.eperson.filters = EPerson+Create</code>
Informational Note:	Consumer related to EPerson changes
Property:	<code>event.consumer.test.class</code>
Example Value:	<code>event.consumer.test.class = org.dspace.event.TestConsumer</code>
Informational Note:	Test consumer for debugging and monitoring. <b>Commented out by default.</b>
Property:	<code>event.consumer.test.filters</code>
Example Value:	<code>event.consumer.test.filters = All+All</code>

Informational Note:	Test consumer for debugging and monitoring. <b>Commented out by default.</b>
Property:	<code>testConsumer.verbose</code>
Example Value:	<code>testConsumer.verbose = true</code>
Informational Note:	Set this to true to enable testConsumer messages to standard output. <b>Commented out by default.</b>

## Embargo

DSpace embargoes utilize standard metadata fields to hold both the "terms" and the "lift date". Which fields you use are configurable, and no specific metadata element is dedicated or predefined for use in embargo. Rather, you specify exactly what field you want the embargo system to examine when it needs to find the terms or assign the lift date.

Property:	<code>embargo.field.terms</code>
Example Value:	<code>embargo.field.terms = SCHEMA.ELEMENT.QUALIFIER</code>
Informational Note:	Embargo terms will be stored in the item metadata. This property determines in which metadata field these terms will be stored. An example could be <code>dc.embargo.terms</code>
Property:	<code>embargo.field.lift</code>
Example Value:	<code>embargo.field.lift = SCHEMA.ELEMENT.QUALIFIER</code>
Informational Note:	The Embargo lift date will be stored in the item metadata. This property determines in which metadata field the computed embargo lift date will be stored. You may need to create a DC metadata field in your Metadata Format Registry if it does not already exist. An example could be <code>dc.embargo.liftdate</code>
Property:	<code>embargo.terms.open</code>
Example Value:	<code>embargo.terms.open = forever</code>
Informational Note:	You can determine your own values for the <code>embargo.field.terms</code> property (see above). This property determines what the string value will be for indefinite embargos. The string in terms field to indicate indefinite embargo.
Property:	<code>plugin.single.org.dspace.embargo.EmbargoSetter</code>
Example Value:	<code>plugin.single.org.dspace.embargo.EmbargoSetter = org.dspace.embargo.DefaultEmbargoSetter</code>
Informational Note:	To implement the business logic to set your embargos, you need to override the <code>EmbargoSetter</code> class. If you use the value <code>DefaultEmbargoSetter</code> , the default implementation will be used.
Property:	<code>plugin.single.org.dspace.embargo.EmbargoLifter</code>
Example Value:	<code>plugin.single.org.dspace.embargo.EmbargoLifter = org.dspace.embargo.DefaultEmbargoLifter</code>
Informational Note:	To implement the business logic to lift your embargos, you need to override the <code>EmbargoLifter</code> class. If you use the value <code>DefaultEmbargoLifter</code> , the default implementation will be used.

More Embargo Details



More details on Embargo configuration, including specific examples can be found in the [Embargo](#) section of the documentation.

## Checksum Checker Settings

DSpace comes with a Checksum Checker script (`[dspace]/bin/dspace_checker`) which can be scheduled to verify the checksum of every item within DSpace. Since DSpace calculates and records the checksum of every file submitted to it, this script is able to determine whether or not a file has been changed (either manually or by some sort of corruption or virus). The idea being that the earlier you can identify a file has changed, the more likely you'd be able to recover it (assuming it was not a wanted change).

Property:	<code>plugin.single.org.dspace.checker.BitstreamDispatcher</code>
Example Value:	<code>plugin.single.org.dspace.checker.BitstreamDispatcher = org.dspace.checker.SimpleDispatcher</code>
Informational Note:	The Default dispatcher is case non is specified.
Property:	<code>checker.retention.default</code>
Example Value:	<code>checker.retention.default = 10y</code>
Informational Note:	This option specifies the default time frame after which all checksum checks are removed from the database (defaults to 10 years). This means that after 10 years, all successful or unsuccessful matches are removed from the database.
Property:	<code>checker.retention.CHECKSUM_MATCH</code>
Example Value:	<code>checker.retention.CHECKSUM_MATCH = 8w</code>
Informational Note:	This option specifies the time frame after which a successful match will be removed from your DSpace database (defaults to 8 weeks). This means that after 8 weeks, all successful matches are automatically deleted from your database (in order to keep that database table from growing too large).

More Checksum Checking Details



For more information on using DSpace's built-in Checksum verification system, see the section on [Validating CheckSums of Bitstreams](#).

## Item Export and Download Settings

It is possible for an authorized user to request a complete export and download of a DSpace item in a compressed zip file. This zip file may contain the following:

dublin\_core.xml

license.txt

contents (*listing of the contents*)

handle *file itself and the extract file if available*

The configuration settings control several aspects of this feature:

Property:	<code>org.dspace.app.itemexport.work.dir</code>
Example Value:	<code>org.dspace.app.itemexport.work.dir = \${dspace.dir}/exports</code>
Informational Note:	The directory where the exports will be done and compressed.
Property:	<code>org.dspace.app.itemexport.download.dir</code>
Example Value:	<code>org.dspace.app.itemexport.download.dir = \${dspace.dir}/exports/download</code>
Informational Note:	The directory where the compressed files will reside and be read by the downloader.
Property:	<code>org.dspace.app.itemexport.life.span.hours</code>
Example Value:	<code>org.dspace.app.itemexport.life.span.hours = 48</code>
Informational Note:	The length of time in hours each archive should live for. When new archives are created this entry is used to delete old ones.

Property:	<code>org.dspace.app.itemexport.max.size</code>
Example Value:	<code>org.dspace.app.itemexport.max.size = 200</code>
Informational Note:	The maximum size in Megabytes (Mb) that the export should be. This is enforced before the compression. Each bitstream's size in each item being exported is added up, if their cumulative sizes are more than this entry the export is not kicked off.

## Subscription Emails

DSpace, through some advanced installation and setup, is able to send out an email to collections that a user has subscribed. The user who is subscribed to a collection is emailed each time an item is added or modified. The following property key controls whether or not a user should be notified of a modification.

Property:	<code>eperson.subscription.onlynew</code>
Example Value:	<code>eperson.subscription.onlynew = true</code>
Informational Note:	For backwards compatibility, the subscription emails by default include any modified items. The property key is COMMENTED OUT by default.

## Hiding Metadata

It is possible to hide metadata from public consumption, so that it's only available to users with WRITE permissions on the Item. (NOTE: Prior to 7.6.1, Administrator privileges were required for hidden metadata. This was modified to allow users to submit hidden metadata fields, as well as allow Community/Collection Admins to see hidden metadata.)

Property:	<code>metadata.hide.dc.description.provenance</code>
Example Value:	<code>metadata.hide.dc.description.provenance = true</code>
Informational Note:	<p>Hides the metadata in the property key above except to the administrator. Fields named here are hidden in the following places UNLESS the logged-in user has WRITE permissions on the Item:</p> <ol style="list-style-type: none"> <li>1. REST API (and therefore the User Interface)</li> <li>2. RDF (everywhere as there is currently no possibility to authenticate)</li> <li>3. OAI-PMH server (everywhere as there is currently no possibility to authenticate)</li> </ol> <p>To designate a field as hidden, add a property here in the form: <code>metadata.hide.SCHEMA.ELEMENT.QUALIFIER = true</code>. This default configuration hides the <code>dc.description.provenance</code> field, since that usually contains email addresses which ought to be kept private and is mainly of interest to administrators.</p>

## Settings for the Submission Process

Property:	<code>webui.submit.upload.required</code>
Example Value:	<code>webui.submit.upload.required = true</code>
Informational Note:	Whether or not a file is <b>required</b> to be uploaded during the "Upload" step in the submission process. The default is true. If set to "false", then the submitter (human being) has the option to skip the uploading of a file.

## Configuring the Sherpa/RoMEO Integration

DSpace has integration with the [Sherpa/RoMEO API](#) in order to allow importing data from Sherpa/RoMEO during the submission. You must register for a free API key (see below for details).

Property:	<code>sherpa.romeo.url</code>
Example Value:	<code>sherpa.romeo.url = https://v2.sherpa.ac.uk/cgi/retrieve</code>
Informational Note:	The Sherpa/RoMEO endpoint.
Property:	<code>sherpa.romeo.apikey</code>
Example Value:	<code>sherpa.romeo.apikey = YOUR-API-KEY</code>

Informational Note:	Allow to use a specific API key to raise the usage limit (500 calls/day for unregistered user). You MUST register for a free api access key at <a href="https://v2.sherpa.ac.uk/api/">https://v2.sherpa.ac.uk/api/</a>
---------------------	---

The functionality rely on understanding to which Journal (ISSN) is related the submitting item. This is done out of box looking to some item metadata but a different strategy can be used as for example look to a metadata authority in the case that the Sherpa/RoMEO autocomplete for Journal is used (see [Autho rityControlSettings](#))

The strategy used to discover the Journal related to the submission item is defined in the spring file `/config/spring/api/sherpa.xml`

```
<bean class="org.dspace.app.sherpa.submit.SHERPASubmitConfigurationService"
      id="org.dspace.app.sherpa.submit.SHERPASubmitConfigurationService">
  <property name="issnItemExtractors">
    <list>
      <bean class="org.dspace.app.sherpa.submit.MetadataValueISSNExtractor">
        <property name="metadataList">
          <list>
            <value>dc.identifier.issn</value>
          </list>
        </property>
      </bean>
      <!-- Use the follow if you have the SHERPARoMEOJournalTitle enabled
      <bean class="org.dspace.app.sherpa.submit.MetadataAuthorityISSNExtractor">
        <property name="metadataList">
          <list>
            <value>dc.title.alternative</value>
          </list>
        </property>
      </bean>  -->
    </list>
  </property>
</bean>
```

## Configuring Creative Commons License

The following configurations are for the Creative Commons license step in the submission process. Submitters are given an opportunity to select a Creative Commons license to accompany the item. Creative Commons licenses govern the use of the content. For further details, refer to the Creative Commons website at <http://creativecommons.org>.

Creative Commons licensing is optionally available and may be configured for any given collection that has a defined submission sequence, or be part of the "default" submission process. This process is described in the [Submission User Interface](#) section of this manual. There is a Creative Commons step already defined, but it is commented out, so enabling Creative Commons licensing is typically just a matter of uncommenting that step.

When enabled, the Creative Commons public API is utilized. This allows DSpace to store metadata references to the selected CC license, while also storing the CC License as a bitstream. The following CC License information are captured:

- The URL of the CC License is stored in the "dc.rights.uri" metadata field (or whatever field is configured in the "cc.license.uri" setting below)
- The name of the CC License is stored in the "dc.rights" metadata field (or whatever field is configured in the "cc.license.name" setting below). This only occurs if "cc.submit.setname=true" (default value)
- The RDF version of the CC License is stored in a bitstream named "license\_rdf" in the CC-LICENSE bundle (as long as "cc.submit.addbitstream=true", which is the default value)

The following configurations (in `dspace.cfg`) relate to the Creative Commons license process:

Property:	<code>cc.api.rooturl</code>
Example Value:	<code>cc.api.rooturl = <a href="http://api.creativecommons.org/rest/1.5">http://api.creativecommons.org/rest/1.5</a></code>
Informational Note:	Generally will never have to assign a different value - this is the base URL of the Creative Commons service API.
Property:	<code>cc.license.uri</code>
Example Value:	<code>cc.license.uri = dc.rights.uri</code>

Informational Note:	The field that holds the Creative Commons license URI.
Property:	<code>cc.license.name</code>
Example Value:	<code>cc.license.name = dc.rights</code>
Informational Note:	The field that holds the Creative Commons license Name.
Property:	<code>cc.submit.setname</code>
Example Value:	<code>cc.submit.setname = true</code>
Informational Note:	If true, the license assignment will add the field configured with the "cc.license.name" with the name of the CC license; if false, only "cc.license.uri" field is added.
Property:	<code>cc.submit.addbitstream</code>
Example Value:	<code>cc.submit.addbitstream = true</code>
Informational Note:	If true, the license assignment will add a bitstream with the CC license RDF; if false, only metadata field(s) are added.
Property:	<code>cc.license.classfilter</code>
Example Value:	<code>cc.license.classfilter = recombo,mark</code>
Informational Note:	This list defines the values that will be excluded from the license (class) selection list, as defined by the web service at the URL: <a href="http://api.creativecommons.org/rest/1.5/classes">http://api.creativecommons.org/rest/1.5/classes</a>
Property:	<code>cc.license.jurisdiction</code>
Example Value:	<code>cc.license.jurisdiction = nz</code>
Informational Note:	Should a jurisdiction be used? If so, which one? See <a href="http://creativecommons.org/international/">http://creativecommons.org/international/</a> for a list of possible codes (e.g. nz = New Zealand, uk = England and Wales, jp = Japan)  Commenting out this field will cause DSpace to select the latest, unported CC license (currently version 4.0). However, as Creative Commons 4.0 does not provide jurisdiction specific licenses, if you specify this setting, your DSpace will continue to use older, Creative Commons 3.0 jurisdiction licenses.
Property:	<code>cc.license.locale</code>
Example Value:	<code>cc.license.locale = en</code>
Informational Note:	Locale to be used (in the form: language or language_country), e.g. "en" or "en_US" If no default locale is defined the Creative Commons default locale will be used.

## WEB User Interface Configurations

### General Web User Interface Configurations

Property:	<code>webui.licence_bundle.show</code>
-----------	--

Example Value:	<code>webui.licence_bundle.show = false</code>
Informational Note:	Sets whether to display the contents of the license bundle (often just the deposit license in the standard DSpace installation). <b>UNSUPPORTED in DSpace 7.0</b>
Property:	<code>thumbnail.maxwidth</code>
Example Value:	<code>thumbnail.maxwidth = 80</code>
Informational Note:	This property sets the maximum width of generated thumbnails that are being displayed on item pages.
Property:	<code>thumbnail.maxheight</code>
Example Value:	<code>thumbnail.maxheight = 80</code>
Informational Note:	This property sets the maximum height of generated thumbnails that are being displayed on item pages.
Property:	<code>webui.preview.maxwidth</code>
Example Value:	<code>webui.preview.maxwidth = 600</code>
Informational Note:	This property sets the maximum width for the preview image. Only used for BrandedPreviewJPEGLFilter
Property:	<code>webui.preview.maxheight</code>
Example Value:	<code>webui.preview.maxheight = 600</code>
Informational Note:	This property sets the maximum height for the preview image. Only used for BrandedPreviewJPEGLFilter
Property:	<code>webui.preview.brand</code>
Example Value:	<code>webui.preview.brand = My Institution Name</code>
Informational Note:	This is the brand text that will appear with the image. Only used for BrandedPreviewJPEGLFilter
Property:	<code>webui.preview.brand.abbrev</code>
Example Value:	<code>webui.preview.brand.abbrev = MyOrg</code>
Informational Note:	An abbreviated form of the full Branded Name. This will be used when the preview image cannot fit the normal text. Only used for BrandedPreviewJPEGLFilter
Property:	<code>webui.preview.brand.height</code>
Example Value:	<code>webui.preview.brand.height = 20</code>
Informational Note:	The height (in px) of the brand. Only used for BrandedPreviewJPEGLFilter
Property:	<code>webui.preview.brand.font</code>
Example Value:	<code>webui.preview.brand.font = SansSerif</code>
Informational Note:	This property sets the font for your Brand text that appears with the image. Only used for BrandedPreviewJPEGLFilter
Property:	<code>webui.preview.brand.fontpoint</code>
Example Value:	<code>webui.preview.brand.fontpoint = 12</code>
Informational Note:	This property sets the font point (size) for your Brand text that appears with the image. Only used for BrandedPreviewJPEGLFilter
Property:	<code>webui.preview.dc</code>
Example Value:	<code>webui.preview.dc = rights</code>
Informational Note:	The Dublin Core field that will display along with the preview. This field is optional. Only used for BrandedPreviewJPEGLFilter

## Item Counts in user interface

Available in 7.6 or later

Optionally, you can enable item counts to be displayed in the user interface for every Community and Collection. This uses the same configuration that was in place for DSpace 6 and earlier.

Property:	<code>webui.strengths.show</code>
Example Value:	<code>webui.strengths.show = false</code>
Informational Note:	When "true" this will display the count of archived items (in the User Interface's browse screens). By default this is "false" (disabled). When enabled, the counts may be counted in real time, or fetched from the cache (see next option).
Property:	<code>webui.strengths.cache</code>
Example Value:	<code>webui.strengths.cache = false</code>
Informational Note:	When showing the strengths (i.e. item counts), should they be counted in real time, or fetched from the cache. Counts fetched in real time will perform an actual count of the index contents every time a page with this feature is requested, which may not scale. If you set the property key is set to cache ("true"), the counts will be cached on first load.

## Browse Index Configuration

The browse indexes for DSpace can be extensively configured. These configurations are used by [Discovery](#). This section of the configuration allows you to take control of the indexes you wish to browse, and how you wish to present the results. The configuration is broken into several parts: defining the indexes, defining the fields upon which users can sort results, defining truncation for potentially long fields (e.g. authors), setting cross-links between different browse contexts (e.g. from an author's name to a complete list of their items), how many recent submissions to display, and configuration for item mapping browse.

Property:	<code>webui.browse.index.&lt;n&gt;</code>
Example Value:	<code>webui.browse.index.1 = dateissued:item:dateissued</code> <code>webui.browse.index.2 = author:metadata:dc.contributor.*\,dc.creator:text</code>
Informational Note:	This is an example of how one "Defines the Indexes". See " <a href="#">Defining the Indexes</a> " in the next sub-section.
Property:	<code>webui.itemlist.sort-option.&lt;n&gt;</code>
Example Value:	<code>webui.itemlist.sort-option.1 = title:dc.title:title</code>
Informational Note:	This is an example of how one "Defines the Sort Options". See " <a href="#">Defining Sort Options</a> " in the following sub-section.

## Defining the storage of the Browse Data

Optionally, you may configure a custom implementation use for the Browse DAOs both for read operations (create/update operations are handled by Event Consumers). However, as of DSpace 6, DSpace only includes one out-of-the-box option:

- SOLR Browse Engine (SOLR DAOs), default since DSpace 4.0 - This enables Apache Solr to be utilized as a backend for all browsing of DSpace. This option requires that you have [Discovery](#) (Solr search/browse engine) enabled in your DSpace.

Property:	<code>browseDAO.class</code>
Example Value:	<code>browseDAO.class = org.dspace.browse.SolrBrowseDAO</code>
Informational Note:	This property configures the Java class that is used for READ operations by the Browse System. <b>You need to have <a href="#">Discovery</a> enabled (this is the default since DSpace 4.0) to use the Solr Browse DAOs</b>

## Defining the Indexes

If you make changes in this section be sure to update your SOLR indexes running the Discovery Maintenance Script, see [Discovery](#)

DSpace comes with four default indexes pre-defined: author, title, date issued, and subjects. Users may also define additional indexes or re-configure the current indexes for different levels of specificity. For example, the default entries that appear in the `dspace.cfg` as default installation:

```
webui.browse.index.1 = dateissued:item:dateissued
webui.browse.index.2 = author:metadata:dc.contributor.*\,dc.creator:text
webui.browse.index.3 = title:item:title
webui.browse.index.4 = subject:metadata:dc.subject.*:text
#webui.browse.index.5 = dateaccessioned:item:dateaccessioned
```

There are two types of indexes which are provided in this default integration:

- "item" indexes which have a format of `webui.browse.index.<n> = <index-name> : item : <sort-type> : (asc | desc)`
- "metadata" indexes which have a format of `webui.browse.index.<n> = <index-name> : metadata : <comma-separated-list-of-metadata-fields> : (date | text) : (asc | desc) : <sort-type>`

Please notice that the punctuation is paramount in typing this property key in the `dspace.cfg` file. The following table explains each element:

Element	Definition and Options (if available)
<code>webui.browse.index.&lt;n&gt;</code>	<i>n</i> is the index number. The index numbers must start from 1 and increment continuously by 1 thereafter. Deviation from this will cause an error during install or a configuration update. So anytime you add a new browse index, remember to increase the number. (Commented out index numbers may be used over again).
<code>&lt;index-name&gt;</code>	The name by which the index will be identified. In order for the DSpace UI to display human-friendly description for this index, you'll need to update the UI's language packs (e.g. <code>src/assets/i18n/en.json5</code> ) to include a key using this index name, for example: <ul style="list-style-type: none"> <li>• <code>browse.metadata.&lt;index-name&gt; = "MyField",</code></li> <li>• <code>browse.metadata.&lt;index-name&gt;.breadcrumbs = "Browse by MyField",</code></li> </ul>
<code>(metadata item)</code>	Only two options are available: "metadata" or "item" <ul style="list-style-type: none"> <li>• "metadata" indexes allow you to index all items based on one or more metadata fields. The list of fields should be provided as part of the "metadata" configuration. Only items which have values for these fields will appear in this index (e.g. if you have a "metadata" index for <code>dc.subject.*</code>, an item will not appear in that browse/search if it doesn't have a <code>dc.subject.*</code> value). The browse index will have to parts: first it lists all values of the specified metadata fields. If the user select one of these values the index lists all items in which the specified metadata field is assigned with the selected value. <ul style="list-style-type: none"> <li>◦ Note: If you set a <code>&lt;sort-type&gt;</code> to be used, this sort type is not used on the values of the metadata fields but on the order of the items when listing all items that have a specific value of the metadata field.</li> </ul> </li> <li>• "item" indexes provide you with a browseable list of ALL items in the site, sorted by a particular metadata field. The field this index is sorted by is referenced by <code>&lt;sort-option-name&gt;</code> (which should refer to a corresponding <code>webui.itemlist.sort-option.&lt;n&gt;</code> setting... see <a href="#">Defining Sort Options</a> below for more information)</li> </ul>
<code>&lt;schema-prefix&gt;</code>	(Only for "metadata" indexes) The schema used for the field to be index. First part of a metadata field name. The default is <code>dc</code> (for Dublin Core).
<code>&lt;element&gt;</code>	(Only for "metadata" indexes) The schema element. Second part of a metadata field name. In Dublin Core, for example, the author element is referred to as "Contributor". The user should consult the default Dublin Core Metadata Registry table in Appendix A.
<code>&lt;qualifier&gt;</code>	(Only for "metadata" indexes) This is the qualifier to the <code>&lt;element&gt;</code> component. Third part of a metadata field name. The user has two choices: an asterisk "*" or a proper qualifier of the element. The asterisk is a wildcard and causes DSpace to index all types of the schema element. For example, if you have the element "contributor" and the qualifier "*" then you would index all contributor data regardless of the qualifier. Another example, you have the element "subject" and the qualifier "lcs" would cause the indexing of only those fields that have the qualifier "lcs". (This means you would only index Library of Congress Subject Headings and not all data elements that are subjects.)
<code>&lt;sort-type&gt;</code>	(Optional, should be set for "item" indexes) This refers to the sort type / data type of the field: <ul style="list-style-type: none"> <li>• <code>date</code> the index type will be treated as a date object and sorted as such</li> <li>• <code>text</code> the index type will be treated as plain text and sorted as such</li> <li>• (any other value refers to a custom <code>&lt;sort-type&gt;</code> which should be defined in a corresponding <code>webui.itemlist.sort-option.&lt;n&gt;</code> setting. See <a href="#">Defining Sort Options</a> below for more information.)</li> </ul>
<code>&lt;sort-order&gt;</code>	(Optional) The default sort order. Choose <code>asc</code> (ascending) or <code>desc</code> (descending). Ascending is the default value, but descending may be useful for date-based indexes (e.g. to display most recent submissions first)

## Defining Sort Options

If you make changes in this section be sure to update your SOLR indexes running the Discovery Maintenance Script, see [Discovery](#)

Sort options/types will be available when browsing a list of items (either on "item" index type above or after selecting a specific value for "metadata" indexes). You can define an arbitrary number of fields to sort on. For example, the default entries that appear in the `dspace.cfg` as default installation:

```
webui.itemlist.sort-option.1 = title:dc.title:title
webui.itemlist.sort-option.2 = dateissued:dc.date.issued:date
webui.itemlist.sort-option.3 = dateaccessioned:dc.date.accessioned:date
```

The format of each entry is `web.browse.sort-option.<n> = <sort-type-name>:<schema-prefix>.<element>.<qualifier>:<datatype>`. Please notice the punctuation used between the different elements. The following table explains the each element:

Element	Definition and Options (if available)
---------	---------------------------------------

<code>webui.itemlist.sort-option.&lt;n&gt;</code>	<i>n</i> is an arbitrary number you choose.
<code>&lt;sort-type-name&gt;</code>	The name by which the sort option will be identified. This is the name by which it is referred in the "webui.browse.index" settings (see <a href="#">Defining the Indexes</a> ).
<code>&lt;schema-prefix&gt;</code>	The schema used for the field to be sorted on in the index. The default is dc (for Dublin Core).
<code>&lt;element&gt;</code>	The schema element. In Dublin Core, for example, the author element is referred to as "Contributor". The user should consult the default Dublin Core Metadata Registry table in Appendix A.
<code>&lt;qualifier&gt;</code>	This is the qualifier to the <code>&lt;element&gt;</code> component. The user has two choices: an asterisk "*" or a proper qualifier of the element.
<code>&lt;datatype&gt;</code>	This refers to the datatype of the field: date the sort field will be treated as a date object text the sort field will be treated as plain text. title the sort field will be treated like a title, which will include a link to the item page

## Hierarchical Browse Indexes

No configuration is necessary for hierarchical browse indexes ([Browse by Subject Category](#)). These are automatically generated based on the used controlled vocabularies in your submission forms. Default DSpace has one hierarchical browse index (Browse by Subject Category), since "srsc" is the only vocabulary used in the default submission-forms.xml.

Please note that when using another vocabulary, the UI's language packs (e.g. `src/assets/i18n/en.json5`) will need to be updated as well, e.g.:

- `"menu.section.browse_global_by_srsc": "By Subject Category"`
- `"browse.metadata.srsc.breadcrumbs": "Browse by Subject Category"`
- `"browse.comcol.by.srsc": "By Subject Category"`

Starting with DSpace 7.6.1, these Hierarchical "Browse By" options can be **disabled** via the below configuration:

Property:	<code>webui.browse.vocabularies.disabled</code>
Example Value:	<code>webui.browse.vocabularies.disabled = srsc</code>
Informational Note:	By default, all controlled vocabularies used within your submission forms (submission-forms.xml) will be enabled in the Browse By menu of the User Interface. If you wish to disable any from display in the UI, you can list them in this configuration. Multiple values can be comma separated (or this config can be repeated). Changes to this configuration will not take effect until your servlet engine (e.g. Tomcat) is restarted.

## Other Browse Options

We set other browse values in the following section.

Property:	<code>webui.browse.metadata.show-freq.&lt; n &gt;</code>
Example Value:	<code>webui.browse.metadata.show-freq.1 = false</code>
Informational Note:	This enable/disable the show of frequencies (count) in metadata browse <code>&lt;n&gt;</code> refers to the browse configuration. As default frequencies are shown for all metadata browse
Property:	<code>plugin.named.org.dspace.sort.OrderFormatDelegate</code>
Example Value:	<code>plugin.named.org.dspace.sort.OrderFormatDelegate = \</code> <code>org.dspace.sort.OrderFormatTitleMarc21=title</code>

Informational Note:	<p>This sets the option for how the indexes are sorted. All sort normalizations are carried out by the OrderFormatDelegate. The plugin manager can be used to specify your own delegates for each datatype. The default datatypes (and delegates) are:</p> <pre>author = org.dspace.sort.OrderFormatAuthor title  = org.dspace.sort.OrderFormatTitle text   = org.dspace.sort.OrderFormatText</pre> <p>If you redefine a default datatype here, the configuration will be used in preferences to the default. However, if you do not explicitly redefine a datatype, then the default will still be used in addition to the datatypes you do specify. As of DSpace release 1.5.2, the multi-lingual MARC21 title ordering is configured as default, as shown in the example above. To use the previous title ordering (before release 1.5.2), comment out the configuration in your <i>dspace.cfg</i> file.</p>
---------------------	---

## Browse Index Authority Control Configuration

Property:	<code>webui.browse.index.&lt;n&gt;</code>
Example Value:	<code>webui.browse.index.5 = lcAuthor:metadataAuthority:dc.contributor.author:authority</code>
Informational Note:	

## Tag cloud

Apart from the single (type=metadata) and full (type=item) browse pages, tag cloud is a new way to display the unique values of a metadata field.

To enable "tag cloud" browsing for a specific index you need to declare it in the *dspace.cfg* configuration file using the following option:

Property:	<code>webui.browse.index.tagcloud.&lt;n&gt;</code>
Example Value:	<code>webui.browse.index.tagcloud.1 = true</code>
Informational Note:	<p>Enable/Disable tag cloud in browsing for a specific index. 'n' is the index number of the specific index which needs to be of type 'metadata'.</p> <p>Possible values: true, false</p> <p>Default value is false.</p> <p>If no option exists for a specific index, it is assumed to be false.</p> <p>You do not have to re-index discovery when you change this configuration</p> <p><b>UNSUPPORTED in DSpace 7.0</b></p>

### Tag cloud configuration

The appearance configuration for the tag cloud is located in the Discovery xml configuration file (*dspace/config/spring/api/discovery.xml*). Without configuring the appearance, the default one will be applied to the tag cloud

In this file, there must be a bean named "browseTagCloudConfiguration" of class "org.dspace.discovery.configuration.TagCloudConfiguration". This bean can have any of the following properties. If some is missing, the default value will be applied.

<b>displayScore</b>	Should display the score of each tag next to it? Default: false
<b>shouldCenter</b>	Should display the tag as center aligned in the page or left aligned? Possible values: true   false. Default: true
<b>totalTags</b>	How many tags will be shown. Value -1 means all of them. Default: -1
<b>cloudCase</b>	<p>The letter case of the tags.</p> <p>Possible values: Case.LOWER   Case.UPPER   Case.CAPITALIZATION   Case.PRESERVE_CASE   Case.CASE_SENSITIVE</p> <p>Default: Case.PRESERVE_CASE</p>
<b>randomColors</b>	If the 3 css classes of the tag cloud should be independent of score (random=yes) or based on the score. Possible values: true   false . Default: true
<b>fontFrom</b>	The font size (in em) for the tag with the lowest score. Possible values: any decimal. Default: 1.1
<b>fontTo</b>	The font size (in em) for the tag with the lowest score. Possible values: any decimal. Default: 3.2
<b>cuttingLevel</b>	The score that tags with lower than that will not appear in the tag cloud. Possible values: any integer from 1 to infinity. Default: 0

<b>ordering</b>	<p>The ordering of the tags (based either on the name or the score of the tag)</p> <p>Possible values: Tag.NameComparatorAsc   Tag.NameComparatorDesc   Tag.ScoreComparatorAsc   Tag.ScoreComparatorDesc</p> <p>Default: Tag.GreekNameComparatorAsc</p>
-----------------	---

When tagCloud is rendered there are some CSS classes that you can change in order to change the tagcloud appearance.

Class	Note
tagcloud	General class for the whole tagcloud
tagcloud_1	Specific tag class for tag of type 1 (based on score)
tagcloud_2	Specific tag class for tag of type 2 (based on score)
tagcloud_3	Specific tag class for tag of type 3 (based on score)

## Links to Other Browse Contexts

We can define which fields link to other browse listings. This is useful, for example, to link an author's name to a list of just that author's items. The effect this has is to create links to browse views for the item clicked on. If it is a "single" type, it will link to a view of all the items which share that metadata element in common (i.e. all the papers by a single author). If it is a "full" type, it will link to a view of the standard full browse page, starting with the value of the link clicked on.

Property:	<code>webui.browse.link.&lt;n&gt;</code>
Example Value:	<code>webui.browse.link.1 = author:dc.contributor.*</code>
Informational Note:	This is used to configure which fields should link to other browse listings. This should be associated with the name of one of the browse indexes ( <code>webui.browse.index.n</code> ) with a metadata field listed in <code>webui.itemlist.columns</code> above. If this condition is not fulfilled, cross-linking will not work. Note also that crosslinking only works for metadata fields not tagged as <code>title</code> in <code>webui.itemlist.columns</code> .

The format of the property key is `webui.browse.link.<n> = <index name>:<display column metadata>` Please notice the punctuation used between the elements.

Element	Definition and Options (if available)
<code>webui.browse.link.n</code>	{{n is an arbitrary number you choose
<code>&lt;index name&gt;</code>	This need to match your entry for the index name from <code>webui.browse.index</code> property key.
<code>&lt;display column metadata&gt;</code>	Use the DC element (and qualifier)

Examples of some browse links used in a real DSpace installation instance:

```
webui.browse.link.1 = author:dc.contributor.*
Creates a link for all types of contributors (authors, editors,
illustrators, others, etc.)
webui.browse.link.2 = subject:dc.subject.lcsh
Creates a link to subjects that are Library of Congress only.
In this case, you have a browse index that contains only LC
Subject Headings
webui.browse.link.3 = series:dc.relation.ispartofseries
Creates a link for the browse index "Series". Please note this
is again, a customized browse index and not part of the
DSpace distributed release.
```

## Submission License Substitution Variables

Property:	<pre>plugin.named.org.dspace.content.license. LicenseArgumentFormatter</pre>
	(property key broken up for display purposes only)

Example Value:	<pre> plugin.named.org.dspace.content.license.LicenseArgumentFormatter = \   org.dspace.content.license.SimpleDSpaceObjectLicenseFormatter = collection, \   org.dspace.content.license.SimpleDSpaceObjectLicenseFormatter = item, \   org.dspace.content.license.SimpleDSpaceObjectLicenseFormatter = eperson </pre>
Informational Note:	It is possible include contextual information in the submission license using substitution variables. The text substitution is driven by a plugin implementation.

## Syndication Feed (RSS) Settings

Supported as of 7.3 and above.

Please note that Syndication (RSS/Atom) feeds **require** that [OpenSearch](#) is enabled to function. When enabled, a syndication feed will be available on the DSpace homepage (for entire site), and on each community/collection homepage (specific to that community/collection). Because Syndication Feeds use OpenSearch, all OpenSearch settings also apply to Syndication Feeds.

Property:	<code>websvc.opensearch.enable</code>
Example Value:	<code>webui.opensearch.enable = true</code>
Informational Note:	By default, OpenSearch & Syndication feeds are set to true (on) . Change key to "false" to disable. NOTE this setting affects OpenSearch Support as well
Property:	<code>webui.feed.localresolve</code>
Example Value:	<code>webui.feed.localresolve = false</code>
Informational Note:	By default, (set to false), URLs returned by the feed will point at the global handle resolver (e.g. <a href="http://hdl.handle.net/123456789/1">http://hdl.handle.net/123456789/1</a> ). If set to <b>true</b> the local server URLs are used (e.g. <a href="http://myserver.myorg/handle/123456789/1">http://myserver.myorg/handle/123456789/1</a> ).
Property:	<code>webui.feed.item.title</code>
Example Value:	<code>webui.feed.item.title = dc.title</code>
Informational Note:	This property customizes each single-value field displayed in the feed information for each item. Each of the fields takes a <b>single</b> metadata field. The form of the key is <scheme prefix>.<element>.<qualifier> In place of the qualifier, one may leave it blank to exclude any qualifiers or use the wildcard "*" to include all qualifiers for a particular element.
Property:	<code>webui.feed.item.date</code>

Example Value:	<code>webui.feed.item.date = dc.date.issued</code>
Informational Note:	This property customizes each single-value field displayed in the feed information for each item. Each of the fields takes a <b>single</b> metadata field. The form of the key is <code>&lt;scheme prefix&gt;.&lt;element&gt;.&lt;qualifier&gt;</code> . In place of the qualifier, one may leave it blank to exclude any qualifiers or use the wildcard "*" to include all qualifiers for a particular element.
Property:	<code>webui.feed.item.description</code>
Example Value:	<pre>webui.feed.item.description = dc.title, dc.contributor.author, \     dc.contributor.editor, dc.description.abstract, \     dc.description</pre>
Informational Note:	One can customize the metadata fields to show in the feed for each item's description. Elements are displayed in the order they are specified in <i>dspace.cfg</i> . Like other property keys, the format of this property key is: <code>webui.feed.item.description = &lt;scheme prefix&gt;.&lt;element&gt;.&lt;qualifier&gt;</code> . In place of the qualifier, one may leave it blank to exclude any qualifiers or use the wildcard "*" to include all qualifiers for a particular element.
Property:	<code>webui.feed.item.author</code>
Example Value:	<code>webui.feed.item.author = dc.contributor.author</code>
Informational Note:	The name of field to use for authors (Atom only); repeatable.
Property:	<code>webui.feed.logo.url</code>
Example Value:	<code>webui.feed.logo.url = \${dspace.url}/themes/mysite/images/mysite-logo.png</code>
Informational Note:	Customize the image icon included with the site-wide feeds. This must be an absolute URL.
Property:	<code>webui.feed.item.dc.creator</code>
Example Value:	<code>webui.feed.item.dc.creator = dc.contributor.author</code>

Informational Note:	This optional property adds <i>structured</i> DC elements as XML elements to the feed description. They are not the same thing as, for example, <i>webui.feed.item.description</i> . Useful when a program or stylesheet will be transforming a feed and wants separate author, description, date, etc.
Property:	<code>webui.feed.item.dc.date</code>
Example Value:	<code>webui.feed.item.dc.date = dc.date.issued</code>
Informational Note:	This optional property adds <i>structured</i> DC elements as XML elements to the feed description. They are not the same thing as, for example, <i>webui.feed.item.description</i> . Useful when a program or stylesheet will be transforming a feed and wants separate author, description, date, etc.
Property:	<code>webui.feed.item.dc.description</code>
Example Value:	<code>webui.feed.item.dc.description = dc.description.abstract</code>
Informational Note:	This optional property adds <i>structured</i> DC elements as XML elements to the feed description. They are not the same thing as, for example, <i>webui.feed.item.description</i> . Useful when a program or stylesheet will be transforming a feed and wants separate author, description, date, etc.
Property:	<code>webui.feed.podcast.collections</code>
Example Value:	<code>webui.feed.podcast.collections = 1811/45183,1811/47223</code>
Informational Note:	This optional property enables Podcast Support on the RSS feed for the specified collection handles. The podcast is iTunes compatible and will expose the bitstreams in the items for viewing and download by the podcast reader. Multiple values are separated by commas. For more on using /enabling Media RSS Feeds to share content via iTunesU, see: <a href="#">Enable Media RSS Feeds</a>
Property:	<code>webui.feed.podcast.communities</code>
Example Value:	<code>webui.feed.podcast.communities = 1811/47223</code>
Informational Note:	This optional property enables Podcast Support on the RSS feed for the specified community handles. The podcast is iTunes compatible and will expose the bitstreams in the items for viewing and download by the podcast reader. Multiple values are separated by commas. For more on using /enabling Media RSS Feeds to share content via iTunesU, see: <a href="#">Enable Media RSS Feeds</a>
Property:	<code>webui.feed.podcast.mimetypes</code>

Example Value:	<code>webui.feed.podcast.mimetypes = audio/x-mpeg,application/pdf</code>
Informational Note:	This optional property for Podcast Support, allows you to choose which MIME types of bitstreams are to be enclosed in the podcast feed. Multiple values are separated by commas. For more on using/enabling Media RSS Feeds to share content via iTunesU, see: <a href="#">Enable Media RSS Feeds</a>
Property:	<code>webui.feed.podcast.sourceuri</code>
Example Value:	<code>webui.feed.podcast.sourceuri = dc.source.uri</code>
Informational Note:	This optional property for the Podcast Support will allow you to use a value for a metadata field as a replacement for actual bitstreams to be enclosed in the RSS feed. A use case for specifying the external sourceuri would be if you have a non-DSpace media streaming server that has a copy of your media file that you would prefer to have the media streamed from. For more on using/enabling Media RSS Feeds to share content via iTunesU, see: <a href="#">Enable Media RSS Feeds</a>

## OpenSearch Support

[OpenSearch](#) is a small set of conventions and documents for describing and using "search engines", meaning any service that returns a set of results for a query. See extensive description in the [Business Layer section](#) of the documentation.

Please note that [RSS/Atom feeds](#) **require** that OpenSearch is enabled to function.

OpenSearch uses all the configuration properties for DSpace RSS to determine the mapping of metadata fields to feed fields. Note that a new field for authors has been added (used in Atom format only).

Property:	<code>websvc.opensearch.enable</code>
Example Value:	<code>websvc.opensearch.enable = true/false</code>
Informational Note:	Whether or not OpenSearch is enabled. By default, the feature is enabled to support RSS/Atom feeds. Change to "false" to disable.
Property:	<code>websvc.opensearch.svccontext</code>
Example Value:	<code>websvc.opensearch.svccontext = opensearch</code>
Informational Note:	The URL path where OpenSearch is made available on the backend. For example, "opensearch" means it is available at <code>\${dspace.server.url}/opensearch</code>
Property:	<code>websvc.opensearch.uicontext</code>
Example Value:	<code>websvc.opensearch.uicontext = simple-search</code>
Informational Note:	Context for HTML request URLs. Change only for non-standard servlet mapping.
Property:	<code>websvc.opensearch.autolink</code>
Example Value:	<code>websvc.opensearch.autolink = true</code>
Informational Note:	Present autodiscovery link in every page head.
Property:	<code>websvc.opensearch.validity</code>
Example Value:	<code>websvc.opensearch.validity = 48</code>

Informational Note:	Number of hours to retain results before recalculating. This applies to the Manakin interface only.
Property:	<code>websvc.opensearch.shortname</code>
Example Value:	<code>websvc.opensearch.shortname = DSpace</code>
Informational Note:	A short name used in browsers for search service. It should be sixteen (16) or fewer characters.
Property:	<code>websvc.opensearch.longname</code>
Example Value:	<code>websvc.opensearch.longname = \${dspace.name}</code>
Informational Note:	A longer name up to 48 characters.
Property:	<code>websvc.opensearch.description</code>
Example Value:	<code>websvc.opensearch.description = \${dspace.name} DSpace repository</code>
Informational Note:	Brief service description
Property:	<code>websvc.opensearch.faviconurl</code>
Example Value:	<code>websvc.opensearch.faviconurl = http://www.dspace.org/images/favicon.ico</code>
Informational Note:	Location of favicon for service, if any. They must be 16 x 16 pixels. You can provide your own local favicon instead of the default.
Property:	<code>websvc.opensearch.samplequery</code>
Example Value:	<code>websvc.opensearch.samplequery = photosynthesis</code>
Informational Note:	Sample query. This should return results. You can replace the sample query with search terms that should actually yield results in your repository.
Property:	<code>websvc.opensearch.tags</code>
Example Value:	<code>websvc.opensearch.tags = IR DSpace</code>
Informational Note:	Tags used to describe search service.
Property:	<code>websvc.opensearch.formats</code>
Example Value:	<code>websvc.opensearch.formats = html,atom,rss</code>
Informational Note:	Result formats offered. Use one or more comma-separated from the list: html, atom, rss. Please note that html is required for auto discovery in browsers to function, and must be the first in the list if present.

## Content Inline Disposition Threshold / Format

The following configurations may be used to change the disposition behavior of the browser. This allows you to specify when a file (bitstream) in DSpace should be downloaded, or attempt to be opened in a user's browser.

Property:	<code>webui.content_disposition_threshold</code>
Example value:	<code>webui.content_disposition_threshold = 8388608</code>
Informational Note:	<p>The default filesize is set to 8MB. When a file/bitstream being viewed is larger than 8MB, the user's browser will download the file to their local machine and the user will have to open it manually. All files smaller than this threshold will be sent "inline" to the user's browser, allowing the browser to decide whether to open it within the browser or download it.</p> <p>The value provided is always in bytes. For example: 4 MB = 4194304, 8 MB = 8388608, 16 MB = 16777216</p> <p>NOTE: This threshold is only applied if the file/bitstream does NOT match the below "webui.content_disposition_format" list.</p>

Property:	<code>webui.content_disposition_format</code>
Example value:	<code>webui.content_disposition_format = text/html, text/richtext</code>
Informational Note:	<p>Set which file mimetypes or file extensions will be forced to download, regardless of the "threshold" set above. Multiple values may be provided by setting this property several times, or by passing it a comma-separated list.</p> <p>For example, setting this to "text/html, text/richtext" will ensure that all files/bitstreams matching those MIME Types will always be downloaded (and never open inline in the user's browser).</p> <p>File extensions may also be used to reference formats. For example, setting "pdf, xls" will ensure all files ending in ".pdf" or ".xls" will always be downloaded.</p>

## Multi-file HTML Document/Site Settings

The setting is used to configure the "depth" of request for html documents bearing the same name.

Property:	<code>webui.html.max-depth-guess</code>
Example Value:	<code>webui.html.max-depth-guess = 3</code>
Informational Note:	<p>When serving up composite HTML items in the UI, how deep can the request be for us to serve up a file with the same name? For example, if one receives a request for "<i>foo/bar/index.html</i>" and one has a bitstream called just "<i>index.html</i>", DSpace will serve up the former bitstream (<i>foo/bar/index.html</i>) for the request if <i>webui.html.max-depth-guess</i> is 2 or greater. If <i>webui.html.max-depth-guess</i> is 1 or less, then DSpace would not serve that bitstream, as the depth of the file is greater. If <i>webui.html.max-depth-guess</i> is zero, the request filename and path must always exactly match the bitstream name. The default is set to 3.</p> <p><b>UNSUPPORTED IN DSpace 7.0</b></p>

## Sitemap Settings

To aid web crawlers index the content within your repository, you can make use of sitemaps. For best SEO, Sitemaps are enabled by default and update automatically (see cron setting).

Property:	<code>sitemap.dir</code>
Example Value:	<code>sitemap.dir = \${dspace.dir}/sitemaps</code>
Informational Note:	The directory where the generate sitemaps are stored.
Property:	<code>sitemap.engineurls</code>

Example Value:	sitemap.engineurls = <a href="http://www.google.com/webmasters/sitemaps/ping?sitemap=">http://www.google.com/webmasters/sitemaps/ping?sitemap=</a>
Informational Note:	Comma-separated list of search engine URLs to "ping" when a new Sitemap has been created. Include everything except the Sitemap UL itself (which will be URL-encoded and appended to form the actual URL "pinged"). Add the following to the above parameter if you have an application ID with Yahoo: <a href="http://search.yahooapis.com/SiteExplorerService/V1/updateNotification?appid=REPLACE_ME?url=_">http://search.yahooapis.com/SiteExplorerService/V1/updateNotification?appid=REPLACE_ME?url=_</a> . (Replace the component <code>_REPLACE_ME</code> with your application ID). There is no known "ping" URL for MSN/Live search.
Property:	sitemap.cron
Example Value:	sitemap.cron = 0 15 1 * * ?
Informational Note:	The DSpace sitemaps are regenerated on a regular basis based on the Cron syntax provided in this configuration. By default, sitemaps are updated daily at 1:15am local time. Cron syntax is defined at <a href="https://www.quartz-scheduler.org/api/2.3.0/org/quartz/CronTrigger.html">https://www.quartz-scheduler.org/api/2.3.0/org/quartz/CronTrigger.html</a> Remove (comment out) this config to disable the sitemap scheduler. Sitemap scheduler can also be disabled by setting to "-" (single dash) in local.cfg.

## Authority Control Settings

Two features fall under the header of Authority Control: Choice Management and Authority Control of Item ("DC") metadata values. Authority control is a fully optional feature in DSpace 1.6. Implemented out of the box are the Library of Congress Names service, and the Sherpa Romeo authority plugin.

For an in-depth description of this feature, please consult: [Authority Control of Metadata Values](#)

Property:	plugin.named.org.dspace.content.authority.ChoiceAuthority
Example Value:	<pre>plugin.named.org.dspace.content.authority.ChoiceAuthority = \   org.dspace.content.authority.SampleAuthority = Sample, \   org.dspace.content.authority.SHERPARoMEOPublisher = SRPublisher, \   org.dspace.content.authority.SHERPARoMEOJournalTitle = SRJournalTitle, \   org.dspace.content.authority.SolrAuthority = SolrAuthorAuthority</pre>
Informational Note:	List of all enabled authority control plugins
Property:	plugin.selfnamed.org.dspace.content.authority.ChoiceAuthority
Example Value:	<pre>plugin.selfnamed.org.dspace.content.authority.ChoiceAuthority = \   org.dspace.content.authority.DCInputAuthority</pre>
Property:	lcname.url
Example Value:	lcname.url = <a href="http://alcme.oclc.org/srw/search/lcnaf_">http://alcme.oclc.org/srw/search/lcnaf_</a>
Informational Note:	Location (URL) of the Library of Congress Name Service

Property:	sherpa.romeo.url / sherpa.romeo.apikey
Informational Note:	Please refers to the Sherpa/RoMEO Publishers Policy Database Integration section for details about such properties. See <a href="#">Configuring the Sherpa/RoMEO Publishers Policy Database Integration</a>
Property:	orcid.api.url
Example Value:	orcid.api.url = https://pub.orcid.org/v3.0
Informational Note:	Location (URL) of the ORCID v3 Public API
Property:	authority.minconfidence
Example Value:	authority.minconfidence = ambiguous
Informational Note:	This sets the default lowest confidence level at which a metadata value is included in an authority-controlled browse (and search) index. It is a symbolic keyword, one of the following values (listed in descending order): accepted, uncertain, ambiguous, notfound, failed, rejected, novalue, unset. See <code>org.dspace.content.authority.Choices</code> source for descriptions.

## Configuring Multilingual Support

See [Multilingual Support](#) for more details/examples.

### Setting the Default Language for the Application

Property:	default.locale
Example Value:	default.locale = en
Informational Note:	The default language for the application is set with this property key. This is a locale according to i18n and might consist of country, country_language or country_language_variant. If no default locale is defined, then the server default locale will be used. The format of a local specifier is described here: <a href="http://java.sun.com/j2se/1.4.2/docs/api/java/util/Locale.html">http://java.sun.com/j2se/1.4.2/docs/api/java/util/Locale.html</a>

### Supporting More Than One Language

Changes in `dspace.cfg`

Property:	<code>webui.supported.locales</code>
Example Value:	<code>webui.supported.locales = en, de</code>
or perhaps	<code>webui.supported.locales = en, en_ca, de</code>
Informational Note:	All the locales that are supported by this instance of DSpace. Comma separated list. <b>UNSUPPORTED IN DSpace 7.0.</b> <i>However, the DSpace 7 UI has a similar "languages" setting in <code>environment.*.ts</code></i>

The table above, if needed and is used will result in:

- a language switch in the default header
- the user will be enabled to choose his/her preferred language, this will be part of his/her profile
- wording of emails
  - mails to registered users, e.g. alerting service will use the preferred language of the user
  - mails to unregistered users, e.g. suggest an item will use the language of the session
- according to the language selected for the session, using `dspace-admin` Edit News will edit the news file of the language according to session

Related Files

If you set `webui.supported.locales` make sure that all the related additional files for each language are available. `LOCALE` should correspond to the locale set in `webui.supported.locales`, e. g.: for `webui.supported.locales = en, de, fr`, there should be:

- `[dspace-source]/dspace/modules/server/src/main/resources/Messages.properties`
  - `[dspace-source]/dspace/modules/server/src/main/resources/Messages_en.properties`
  - `[dspace-source]/dspace/modules/server/src/main/resources/Messages_de.properties`
  - `[dspace-source]/dspace/modules/server/src/main/resources/Messages_fr.properties`
- Files to be localized:
- `[dspace-source]/dspace/modules/server/src/main/resources/Messages_LOCALE.properties`
  - `[dspace-source]/dspace/config/submission-forms_LOCALE.xml`
  - `[dspace-source]/dspace/config/default_LOCALE.license` - should be pure ASCII
  - `[dspace-source]/dspace/config/emails/change_password_LOCALE`
  - `[dspace-source]/dspace/config/emails/feedback_LOCALE`
  - `[dspace-source]/dspace/config/emails/internal_error_LOCALE`
  - `[dspace-source]/dspace/config/emails/register_LOCALE`
  - `[dspace-source]/dspace/config/emails/submit_archive_LOCALE`
  - `[dspace-source]/dspace/config/emails/submit_reject_LOCALE`
  - `[dspace-source]/dspace/config/emails/submit_task_LOCALE`
  - `[dspace-source]/dspace/config/emails/subscription_LOCALE`
  - `[dspace-source]/dspace/config/emails/suggest_LOCALE`

## Upload File Settings

Property:	<code>upload.temp.dir</code>
Example Value:	<code>upload.temp.dir = \${dspace.dir}/upload</code>
Informational Note:	This property sets where DSpace temporarily stores uploaded files.

## SFX Server (OpenURL)

SFX Server is an OpenURL Resolver.

Property:	<code>sfx.server.url</code>
Example Value:	<code>sfx.server.url = <a href="http://sfx.myu.edu:8888/sfx?">http://sfx.myu.edu:8888/sfx?</a></code>
	<code>sfx.server.url = <a href="http://worldcatlibraries.org/registry/gateway?">http://worldcatlibraries.org/registry/gateway?</a></code>
Informational Note:	SFX query is appended to this URL. If this property is commented out or omitted, SFX support is switched off.

All the parameters mapping are defined in `[dspace]/config/sfx.xml` file. The program will check the parameters in `sfx.xml` and retrieve the correct metadata of the item. It will then parse the string to your resolver.

For the following example, the program will search the first query-pair which is DOI of the item. If there is a DOI for that item, your retrieval results will be, for example:

<http://researchspace.auckland.ac.nz/handle/2292/5763>

Example. For setting DOI in `sfx.xml`

```
<query-pairs>
  <field>
    <querystring>rft_id=info:doi/</querystring>
    <dc-schema>dc</dc-schema>
    <dc-element>identifier</dc-element>
    <dc-qualifier>doi</dc-qualifier>
  </field>
</query-pairs>
```

If there is no DOI for that item, it will search next query-pair based on the `[dspace]/config/sfx.xml` and then so on.

Example of using ISSN, volume, issue for item without DOI

[\[http://researchspace.auckland.ac.nz/handle/2292/4947\]](http://researchspace.auckland.ac.nz/handle/2292/4947)

For parameter passing to the `<querystring>`

```
<querystring>rft_id=info:doi/</querystring>
```

Please refer to these:

[<http://ocoins.info/cobgbook.html>]

[<http://ocoins.info/cobg.html>]

Program assume won't get empty string for the item, as there will at least author, title for the item to pass to the resolver.

For contributor author, program maintains original DSpace SFX function of extracting author's first and last name.

```
<field>
  <querystring>rft.aulast=</querystring>
  <dc-schema>dc</dc-schema>
  <dc-element>contributor</dc-element>
  <dc-qualifier>author</dc-qualifier>
</field>
<field>
  <querystring>rft.aufirst=</querystring>
  <dc-schema>dc</dc-schema>
  <dc-element>contributor</dc-element>
  <dc-qualifier>author</dc-qualifier>
</field>
```

## Controlled Vocabulary Settings

DSpace now supports controlled vocabularies to confine the set of keywords that users can use while describing items.

The need for a limited set of keywords is important since it eliminates the ambiguity of a free description system, consequently simplifying the task of finding specific items of information.

The controlled vocabulary add-on allows the user to choose from a defined set of keywords organized in a tree (taxonomy) and then use these keywords to describe items while they are being submitted.

We have also developed a small search engine that displays the classification tree (or taxonomy) allowing the user to select the branches that best describe the information that he/she seeks.

The taxonomies are described in XML following this (very simple) structure:

```
<node id="acmccs98" label="ACMCCS98">
  <isComposedBy>
    <node id="A." label="General Literature">
      <isComposedBy>
        <node id="A.0" label="GENERAL" />
        <node id="A.1" label="INTRODUCTORY AND SURVEY" />
      </isComposedBy>
    </node>
  </isComposedBy>
</node>
```

You are free to use any application you want to create your controlled vocabularies. A simple text editor should be enough for small projects. Bigger projects will require more complex tools. You may use Protegé to create your taxonomies, save them as OWL and then use a XML Stylesheet (XSLT) to transform your documents to the appropriate format. Future enhancements to this add-on should make it compatible with standard schemas such as OWL or RDF.

New vocabularies should be placed in `[dspace]/config/controlled-vocabularies/` and must be according to the structure described. A validation XML Schema (named `controlledvocabulary.xsd`) is also available in that directory.

Vocabularies need to be associated with the correspondent DC metadata fields. Edit the file `[dspace]/config/input-forms.xml` and place a *"vocabulary"* tag under the *"field"* element that you want to control. Set value of the *"vocabulary"* element to the name of the file that contains the vocabulary, leaving out the extension (the add-on will only load files with extension *"\*.xml"*). For example:

```

<field>
  <dc-schema>dc</dc-schema>
  <dc-element>subject</dc-element>
  <dc-qualifier></dc-qualifier>
  <!-- An input-type of twobox MUST be marked as repeatable -->
  <repeatable>true</repeatable>
  <label>Subject Keywords</label>
  <input-type>twobox</input-type>
  <hint> Enter appropriate subject keywords or phrases below. </hint>
  <required></required>
  <vocabulary [closed="false"]>nsi</vocabulary>
</field>

```

The vocabulary element has an optional boolean attribute **closed** that can be used to force input only with the JavaScript of controlled-vocabulary add-on. The default behavior (i.e. without this attribute) is as set **closed="false"**. This allow the user also to enter the value in free way.

The following vocabularies are currently available by default:

- **nsi** - *nsi.xml* - The Norwegian Science Index
- **srs** - *srs.xml* - Swedish Research Subject Categories

## Optional or Advanced Configuration Settings

The following section explains how to configure either optional features or advanced features that are not necessary to make DSpace "out-of-the-box"

### The Metadata Format and Bitstream Format Registries

The `[dspace]/config/registries` directory contains three XML files. These are used to load the *initial* contents of the Dublin Core Metadata registry and Bitstream Format registry and SWORD metadata registry. After the initial loading (performed by *ant fresh\_install* above), the registries reside in the database; the XML files are not updated.

In order to change the registries, you may adjust the XML files before the first installation of DSpace. On an already running instance it is recommended to change bitstream registries via DSpace admin UI, but the metadata registries can be loaded again at any time from the XML files without difficulty. The changes made via admin UI are not reflected in the XML files.

#### Metadata Format Registries

The default metadata schema is Dublin Core, so DSpace is distributed with a default Dublin Core Metadata Registry. Currently, the system requires that every item have a Dublin Core record.

There is a set of Dublin Core Elements, which is used by the system and should not be removed or moved to another schema. See Appendix: Default Dublin Core Metadata registry.

**Note:** altering a Metadata Registry has no effect on corresponding parts, e.g. item submission interface, item display, item import and vice versa. Every metadata element used in submission interface or item import must be registered before using it.

**Note** also that deleting a metadata element will delete all its corresponding values.

If you wish to add more metadata elements, you can do this in one of two ways. Via the DSpace admin UI you may define new metadata elements in the different available schemas. But you may also modify the XML file (or provide an additional one), and re-import the data as follows:

```
[dspace]/bin/dspace registry-loader -metadata [xml file]
```

The XML file should be structured as follows:

```

<dspace-dc-types>
  <dc-type>
    <schema>dc</schema>
    <element>contributor</element>
    <qualifier>advisor</qualifier>
    <scope_note>Use primarily for thesis advisor.</scope_note>
  </dc-type>
</dspace-dc-types>

```

The set of metadata registry files which is read by the MetadataImporter tool is configured by the `metadata.registry.load` property in `dspace.cfg` or `local.cfg`. If you wish to use the importer to load a new metadata namespace from a new file, you will need to add the path to your new registry file as an additional value of this property before running the tool.

## Bitstream Format Registry

The bitstream formats recognized by the system and levels of support are similarly stored in the bitstream format registry. This can also be edited at install-time via `[dspace]/config/registries/bitstream-formats.xml` or by the administration Web UI. The contents of the bitstream format registry are entirely up to you, though the system requires that the following two formats are present:

- *Unknown*
- *License*

Deleting a format will cause any existing bitstreams of this format to be reverted to the unknown bitstream format.

## Configuring Usage Instrumentation Plugins

A usage instrumentation plugin is configured as a Spring bean in the `applicationContext.xml` for each of the various user interface web applications. It will require the injection of an instance of `EventService`, which it will use to register itself on the `UsageEvent` bus. See the configuration file for examples.

More than one such plugin may be configured – each will receive all usage events.

If you wish to write your own, it must extend the abstract class `org.dspace.usage.AbstractUsageEventListener`.

### The Passive Plugin

The Passive plugin is provided as the class `org.dspace.usage.PassiveUsageEventListener`. It absorbs events without effect, and serves as a simple example of how to write a `UsageEvent` listener.

### The Tab File Logger Plugin

The Tab File Logger plugin is provided as the class `org.dspace.usage.TabFileUsageEventListener`. It writes event records to a file in tab-separated column format. If left unconfigured, it will write to `[DSpace]/log/usage-events.tsv`. To specify the file path, provide an absolute path, or a path relative to `log.dir`, as the value for `usageEvent.tabFileLogger.file` in `dspace.cfg`.

## Behavior of the workflow system

DSpace contains a workflow system to review submissions as described in detail as part of the [architecture of the business logic layer](#) and in [Configurable Workflow](#). The file `[dspace]/config/modules/workflow.cfg` contains additional properties to configure details of the workflow system.

The property `workflow.reviewer.file-edit` controls whether files may be added/edited/removed during review (set to true) or whether files can be downloaded during review only.

### [dspace]/config/modules/workflow.cfg

```
#Allow the reviewers to add/edit/remove files from the submission
#When changing this property you might want to alert submitters in the license that reviewers can alter their files
workflow.reviewer.file-edit=false
```

The workflow system will send notifications on new Items waiting to be reviewed to all EPersons that may resolve those. Tasks can be taken to avoid that two EPersons work on the same task at the same time without knowing from each other. When a EPerson returns a task to the pool without resolving it (by accepting or rejecting the submission), another E-Mail is sent. In case you only want to be notified of completely new tasks entering a step of the workflow system, you may switch off notifications on tasks returned to the pool by setting `workflow.notify.retirend.tasks` to `false` in `config/modules/workflow.cfg` as shown below:

### [dspace]/config/modules/workflow.cfg

```
# Notify reviewers about tasks returned to the pool
workflow.notify.returned.tasks = false
```

By default notifications are sent for tasks returned to the pool.

## Recognizing Web Spiders (Bots, Crawlers, etc.)

DSpace can often recognize that a given access request comes from a web spider that is indexing your repository. These accesses can be flagged for separate treatment (perhaps exclusion) in usage statistics. This requires patterns to match against incoming requests. These patterns exist in files that you will find in `config/spiders`.

In the `spiders` directory itself, you will find a number of files provided by `iplists.com`. These files contain network address patterns which have been discovered to identify a number of known indexing services and other spiders. You can add your own files here if you wish to exclude more addresses that you know of. You will need to include your files' names in the list configured in `config/modules/solr-statistics.cfg`. The `iplists.com-*.txt` files can be updated using a tool provided by DSpace. See [SOLR Statistics](#) for details.

In the `spiders` directory you will also find two subdirectories. `agents` contains files filled with regular expressions, one per line. An incoming request's `User-Agent` header is tested with each expression found in any of these files until an expression matches. If there is a match, the request is marked as being from a spider, otherwise not. `domains` similarly contains files filled with regular expressions which are used to test the domain name from which the request comes. You may add your own files of regular expressions to either directory if you wish to test requests with patterns of your own devising.

## Command-line Access to Configuration Properties

You can resolve a configuration property name to its value using the command `dspace dsprop -p some.property.name`. The output is undecorated and may be suitable for use in scripts.

The `dsprop` command has these options:

name	argument	meaning
--property -p	name	the name of the desired configuration property. This option is required.
--module -m	name	the name of the module in which the property is found. If omitted, the value of --property is the entire name. If used, the name will be composed as <code>module.property</code> . For example, " <code>-m dspace -p url</code> " will look up the value of <code>dspace.url</code> .
--raw -r		if used, this prevents the substitution of other property values into the value of the requested property.  It is also useful to see all of the property values when a specific property has an <b>array of values</b> (i.e. the configuration supports specifying multiple values). Otherwise, by default, <code>dsprop</code> may only return the first value in the array.
--help -h -?		Display help similar to this table.