

PubMedPrefill-pubmed-step.jsp

```
<%@ page contentType="text/html; charset=UTF-8" %>

<%@ taglib uri="http://java.sun.com/jsp/jstl/fmt"
    prefix="fmt" %>

<%@ page import="org.dspace.core.Context" %>
<%@ page import="org.dspace.app.webui.servlet.SubmissionController" %>
<%@ page import="org.dspace.app.webui.util.UIUtil" %>
<%@ page import="org.dspace.content.Item" %>
<%@ page import="org.apache.commons.lang.StringUtils" %>
<%@ page import="org.dspace.content.DCValue" %>
<%@ page import="org.dspace.app.util.SubmissionInfo" %>
<%@ page import="org.dspace.submit.AbstractProcessingStep" %>

<%@ taglib uri="http://www.dspace.org/dspace-tags.tld" prefix="dspace" %>

<%
    // Obtain DSpace context
    Context context = UIUtil.obtainContext(request);

    // get submission information object
    SubmissionInfo subInfo = SubmissionController.getSubmissionInfo(context, request);
    Item item = subInfo.getSubmissionItem().getItem();

    // Retrieve error message
    Boolean identifierError = (Boolean)request.getAttribute("identifier.error");
    Boolean identifierInfo = (Boolean)request.getAttribute("identifier.info");

    // Get search value, first check request
    String pmidValue = request.getParameter("identifier_pmid");

    // Obtain a PubMed ID from the item's metadata if we don't have one in the attributes
    if (item != null && StringUtils.isEmpty(pmidValue))
    {
        DCValue[] values = item.getMetadata("dc","identifier","pmid",Item.ANY);
        pmidValue = ((values == null || values.length < 1) ? "" : values[0].value);
    }
%>
<dspace:layout locbar="off"
    navbar="off"
    titlekey="jsp.submit.pubmed-prefill.title"
    nocache="true">

    <form action="<%= request.getContextPath() %>/submit" method="post" onkeydown="return disableEnterKey
(event);">

        <jsp:include page="/submit/progressbar.jsp" />

        <%-- <h1>Submit: Describe Your Item</h1> --%>
        <h1><fmt:message key="jsp.submit.pubmed-prefill.heading"/></h1>
        <p><fmt:message key="jsp.submit.pubmed-prefill.elem1"/></p>
        <p><fmt:message key="jsp.submit.pubmed-prefill.elem4"/></p>

        <br/>

        <ul>
            <li>
                <%-- If you have a PubMed ID you can enter it below... --%>
                <fmt:message key="jsp.submit.pubmed-prefill.elem2"/><br><br>
                <table class="miscTable">
                    <%
                        if ((identifierError != null) && identifierError.booleanValue())
                        {
                            <tr>
                                <td>
                                    <span class="submitFormWarn"><fmt:message key="jsp.submit.pubmed-
```

```

prefill.error.identifier"/></span>
                                </td>
                            </tr>
<%
    }
    if ((identifierInfo !=null) && identifierInfo.booleanValue())
    {
%>
                                <tr>
                                    <td>
                                        <span class="submitFormWarn"><fmt:message key="jsp.submit.
pubmed-prefill.info.identifier"/></span>
                                    </td>
                                </tr>
<%
    }
%>
                                <tr><td align="center">
<table border="0"><tbody>
    <tr>
        <td class="submitFormValue" align="right" valign="middle">
            <fmt:message key="jsp.submit.pubmed-prefill.pubmid.label" />
        </td>
        <td class="submitFormValue" align="left" valign="middle">
            <input name="identifier_pmid" type="text" value="<%= (pmidValue == null ? "":
pmidValue) %>" onchange="disableInput(this,identifier_doi)" />
            <input name="original_pmid" type="hidden" value="<%= (pmidValue == null ? "":
pmidValue) %>" />
        </td>
    </tr>
</tbody></table>
    </td></tr>
</table>
<%
    // If we are prefilling the PubMed ID (ie. the submission or item has a PMID already
    // output a 'force refresh' checkbox - we won't overwrite the existing metadata on submission
    // unless this is selected
    if (!StringUtils.isEmpty(pmidValue))
    {
%>
                                <p>
                                    <input name="force_refresh" type="checkbox" value="true" />
                                    <fmt:message key="jsp.submit.pubmed-prefill.forcerefresh.label" />
                                </p>
<%
    }
%>
    <br/>
</li>
<li>
    <!-- If you want to enter your own metadata or do not have one of the above IDs then simply use
the "Next&gt;" button below to go straight to the submission form. -->
    <fmt:message key="jsp.submit.pubmed-prefill.elem3"/><br/><br/>
    </li>
</ul>

    <!-- Hidden fields needed for SubmissionController servlet to know which step is next-->
    <%= SubmissionController.getSubmissionParameters(context, request) %>
    <center>
        <table border="0" width="80%">
            <tr>
                <td width="100%">&nbsp;</td>
                <% //if not first step, show "Previous" button
                    if(!SubmissionController.isFirstStep(request, subInfo))
                    { %>
                        <td>
                            <input type="submit" name="<%=AbstractProcessingStep.PREVIOUS_BUTTON%" value="<fmt:
message key="jsp.submit.general.previous"/>" />
                        </td>

```

```
<% } %>
        <td>
            <input type="submit" name="%=AbstractProcessingStep.NEXT_BUTTON%" value="<fmt:message
key="jsp.submit.general.next"/>" />
        </td>
        <td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~
        <td align="right">
            <input type="submit" name="%=AbstractProcessingStep.CANCEL_BUTTON%" value="<fmt:
message key="jsp.submit.general.cancel-or-save.button"/>" />
        </td>
    </tr>
</table>
</center>

</form>
<script language="javascript">
function disableInput(activeField, disabledField){
    if(activeField.value != ''){
        disabledField.value = '';
        disabledField.disabled = true;
    }else{
        disabledField.disabled = false;
    }
}
</script>
</dspace:layout>
```