

# Advanced Customisation

It is anticipated that the customisation features described in the JSPUI and XMLUI customisation sections will be sufficient to satisfy the needs of the majority of users, however, some users may want to customise DSpace further, or just have a greater understanding of how to do so.

- 1 [Maven WAR Overlays](#)
- 2 [DSpace Source Release](#)

## Maven WAR Overlays

Much of the customisation described in the JSPUI and XMLUI customisation sections is based on [Maven WAR Overlays](#). In short, any classes or files placed in `[dspace-source]/dspace/modules/*` will be overlayed onto the selected WAR. This includes both new and amended files.

For more details on Maven WAR Overlays and how they relate to DSpace, see this presentation from Fall 2009: [Making DSpace XMLUI Your Own](#) (Please note that this presentation was made for DSpace 1.5.x and 1.6.x, but much of it still applies to current versions of DSpace.)

## DSpace Source Release

If you have downloaded the 'dspace-src-release' (or checked out the latest DSpace Code via [Subversion](#)), there are two main build options that are available to you:

1. **Full Build:** Running `mvn package` from the root `[dspace-source]` directory
  - This option will rebuild **all** DSpace modules from their Java Source code, then apply any [Maven WAR Overlays](#). In other words, all subdirectories of `[dspace-source]` are recompiled/rebuilt.
2. **Quick Build:** Running `mvn package` from the `[dspace-source]/dspace/` directory
  - This option performs a "quick build". It does **not** recompile/rebuild all DSpace modules. All it does is rebuild and re-apply any [Maven WAR Overlays](#) to the previously compiled source code. In other words, the **ONLY** code that will be recompiled/rebuilt is code that exists in `[dspace-source]/dspace/modules/*` (the Maven WAR Overlay directories)

Which build option you need to use will depend on your local development practices. If you have been careful to utilize [Maven WAR Overlays](#) for your local code/changes (putting everything under `[dspace-source]/dspace/modules/*`), then the **Quick Build** option may be the best way for you to recompile & reapply your local modifications. However, if you have made direct changes to code within a subdirectory of `[dspace-source]` (e.g. `/dspace-api`, `/dspace-xmlui`, `/dspace-jspui`, etc.) then you will need to utilize the **Full Build** option in order to ensure those modifications are included in the final WAR files.