

Installing Solr and GSearch

Islandora utilizes the Solr open source search platform to enable flexible and configurable indexing and searching. Solr uses the [Lucene](#) Java search library at its core for full-text indexing and search and offers hit highlighting, faceted search, dynamic clustering, database integration, and rich document (e.g., Word, PDF) handling as additional features.

The Fedora Generic Search Service, or GSearch, is a search service installed with Fedora that allows for automatic updating of the Lucene/Solr index. GSearch relies on JMS to receive messages that are sent when Fedora objects are ingested, modified or purged. This keeps the Lucene index in sync with the Fedora repository.

How Islandora uses Solr/Lucene and Gsearch

Islandora makes it possible to use the power of Solr/Lucene for discovery. Gsearch is used as a method for keeping indexes current. When an item is ingested, the FOXML is transformed by an XSLT file stored in Gsearch into a format that can be read by Solr's schema and returned based on the request handlers in our custom solrconfig.xml.

The Islandora Solr Search module is packaged with files that will support Islandora solution packs, but these can be modified if you are familiar with Solr. Specifically the Solr schema and corresponding Gsearch XSLT are a good starting point even if you do not use the Solr Search module. Additional information about Solr is presented in Chapter 4: Search and Discovery in Islandora (The Solr Module).

While Solr is not required to run Islandora, it is recommended.

Installing Solr and GSearch

1. [Download fedoraGSearch](#) from SourceForge.net and extract the contents of the compressed file. Copy the file fedoragsearch.war to the webapps folder.

```
cp ~/fedoragsearch.war $FEDORA_HOME/tomcat/webapps/
```

2. Download [Solr](#) to your local environment and unpack the downloaded file.

3. Create a directory for Solr. These instructions presume that it will be installed at *~/opt/solr*:

```
mkdir -p /opt/solr
```

4. Drag or mv the .war file that is located under the dist directory of your unpacked download to the newly created */opt/solr* directory.

5. Copy the directory *apache-solr-x.x.x/example/solr* to *\$FEDORA_HOME/solr* and */example/webapps/solr.war* to *\$FEDORA_HOME/tomcat/webapps/*

```
cp -r apache-solr-x.x.x/example/solr $FEDORA_HOME/solr  
cp apache-solr-x.x.x/example/webapps/solr.war $FEDORA_HOME/tomcat/webapps/
```

6. Edit the file *\$FEDORA_HOME/server/config/fedora-users.xml* to add an additional user:

```
<user name="fgsAdmin" password="[password]">  
  <attribute name="fedoraRole">  
    <value>administrator</value>  
  </attribute>  
</user>
```

7. Edit the file *\$FEDORA_HOME/tomcat/webapps/fedoragsearch/FgsConfig/fgsconfig-basic.properties*

```
configDisplayName=configProductionOnSolr
gsearchPass= [password]
local.FEDORA_HOME=/usr/local/fedora
namesOfRepositories=FgsRepos

namesOfIndexes=FgsIndex
[keep name in order not to modify GUI for GSearch]

fedoraBase=http://localhost:8080
[to access objects from index in GUI for GSearch]

fedoraPass=[password]
indexEngine=Solr
indexBase=http://localhost:8080/solr
indexDir=${local.FEDORA_HOME}/solr/data/index
indexingDocXslt=foxmlToSolr
```

Gsearch properties files are sensitive. A space after the text at the end of a line may cause that entry to fail.

8. Navigate to `$FEDORA_HOME/tomcat/webapps/fedoragsearch/FgsConfig/` and run Apache ant on `fgsconfig-basic.xml`

```
cd $FEDORA_HOME/tomcat/webapps/fedoragsearch/FgsConfig/

ant -f fgsconfig-basic.xml
```

9. Rename the current Solr `schema.xml` file to `schema.bak`

```
mv $FEDORA_HOME/solr/conf/schema.xml $FEDORA_HOME/solr/conf/schema.bak
```

10. Copy the new, ant-generated Solr schema into place as `schema.xml`

```
cp $FEDORA_HOME/tomcat/webapps/fedoragsearch/WEB-INF/classes/fgsconfigFinal/index
/FgsIndex/conf/schema-x.x.x-for-fgs-x.x.xml $FEDORA_HOME/solr/conf/schema.xml
```

11. Restart Fedora.

```
$FEDORA_HOME/tomcat/bin/shutdown.sh  
  
$FEDORA_HOME/tomcat/bin/startup.sh
```

12. Test your installation by going to <http://localhost:8080/fedoragsearch/rest>

1. Login using fgsAdmin
2. Click on updateindex
3. Click on updateIndex fromFoxmlFiles

Installing & Configuring the Solr Search Module

The Islandora Solr search module allows you to search the Solr index. The Islandora Solr Sample Configuration module provides default display profiles to the module. The module makes four new blocks available; two for search and two for display. The other block is called the *Advanced Search Block* and does fielded searches against the Solr index. Both blocks would use whatever request handler is configured in the module settings. For information on how to configure the Solr module, see [Chapter 4 - Search and Discovery in Islandora \(The Solr Module\)](#).

Installation Steps:

1. Verify that fedoraGSearch and Solr are both installed and running.
2. [Download](#) the islandora_solr_search module and install as a Drupal module.
3. Then, download and uncompress the [Apache Solr php client](#) and copy the Solr directory under Apache from the archive to the islandora_solr_search module's folder.
4. Log in to your Drupal site to enable the islandora_solr_search module.
 - a. Administer > Modules and enable Islandora Solr Search