

# Fedora 4.2 Documentation

- [Quick Start](#)
- [Feature Tour](#)
  - [Feature Tour - Actions](#)
    - [Feature Tour - Action - Content](#)
    - [Feature Tour - Action - Create Resource](#)
    - [Feature Tour - Action - Delete](#)
    - [Feature Tour - Action - Import](#)
    - [Feature Tour - Action - Transactions](#)
    - [Feature Tour - Action - Update Properties](#)
  - [Feature Tour - Types](#)
- [Features](#)
  - [Authorization](#)
    - [Access Roles Module](#)
    - [Authorization Delegates](#)
      - [Basic Role-based Authorization Delegate](#)
      - [Design Guide - Authorization Delegates](#)
      - [XACML Authorization Delegate](#)
        - [Fedora Basic Roles - ModeShape Permission](#)
        - [Fedora XACML Attributes](#)
        - [XACML Design Discussion](#)
    - [How To Bypass Authorization](#)
    - [How to Configure Servlet Container Authentication](#)
    - [Principal Providers](#)
    - [XACML Authorization Module](#)
  - [Backup and Restore](#)
  - [External Search](#)
    - [Indexable Node Type](#)
    - [Indexing Transformations](#)
    - [Solr Indexing Quick Guide](#)
  - [External Triplestore](#)
    - [Triplestore Setup](#)
    - [Indexer Configuration](#)
      - [ElasticIndexer](#)
      - [FileSerializer](#)
      - [JcrXmlPersistenceIndexer](#)
      - [RdfPersistenceIndexer](#)
      - [SolrIndexer](#)
      - [SparqlIndexer](#)
    - [SPARQL Recipes](#)
  - [Filesystem Federation](#)
    - [How to audit fixity in a filesystem federation](#)
    - [How to federate over a filesystem that is updated externally](#)
    - [How to incorporate static filesystem resources into your repository](#)
  - [RESTful HTTP API](#)
    - [RESTful HTTP API - Access Roles](#)
    - [RESTful HTTP API - Backup and Restore](#)
    - [RESTful HTTP API - Containers](#)
    - [RESTful HTTP API - Export and Import](#)
    - [RESTful HTTP API - Fixity](#)
    - [RESTful HTTP API - Node Types](#)
    - [RESTful HTTP API - Transactions](#)
    - [RESTful HTTP API - Transform](#)
    - [RESTful HTTP API - Versioning](#)
  - [Transactions](#)
  - [Versioning](#)
  - [Clustering](#)
  - [Identifiers](#)
  - [Linked Data Platform](#)
- [Administrator Guide](#)
  - [Deploying Fedora 4 Complete Guide](#)
    - [Application Configuration](#)
      - [Configuration Options Inventory](#)
      - [Configuring a JMS Event Filter](#)
      - [Configuring an External PID Minter](#)
      - [Configuring Logging With System Properties](#)
    - [Java HotSpot VM Options recommendations](#)
    - [System Requirements](#)
  - [Authentication and Authorization](#)
  - [Deploying a Fedora Cluster](#)
    - [Cluster Management Tips](#)
  - [Metrics Reporting](#)
    - [Setup a Graphite instance](#)
  - [Setup Camel Message Integrations](#)
  - [Setup OAI-PMH Provider](#)
  - [ModeShape Artifacts Layout](#)

## Featured Pages

### Content by label

There is no content with the specified labels

## Recently Updated Pages

### [RESTful HTTP API - Containers](#)

Aug 17, 2016 • updated by [Andrew Woods](#) • [view change](#)

### [Deploying a Fedora Cluster](#)

Oct 19, 2015 • updated by [Andrew Woods](#) • [view change](#)

### [First Steps](#)

Aug 17, 2015 • updated by [Andrew Woods](#) • [view change](#)

### [System Requirements](#)

Aug 17, 2015 • updated by [Andrew Woods](#) • [view change](#)

### [Fedora 4.2 Documentation](#)

May 20, 2015 • updated by [Andrew Woods](#) • [view change](#)


## Popular Topics

- [f4-vx](#)
- [kb-how-to-article](#)
- [f4-core-feature](#)
- [f4-non-spec-feature](#)
- [f4-resources](#)
- [metadata-design-patterns](#)
- [featured](#)
- [authentication](#)
- [fedora](#)
- [metrics](#)

- Performance
    - Performance Testing
      - AuthZ - No AuthZ Fedora 4 Comparison Performance Testing
      - Fedora3 - Fedora 4 Comparison Performance Testing - 10,000 objects
      - Fedora 4 Objects CRUD Performance Testing
      - Fedora 4 Properties CRUD Performance Testing
      - Flat Hierarchies Testing
      - Platform Profiles
        - Determining Hardware Properties
        - Platform Profile: Cluster at Universitatea de Vest din Timioara
        - Test - Platform Profile: Cluster at Karlsruhe Institute of Technology - SCC
        - Test - Platform Profile: Cluster at Stanford University
        - Test - Platform Profile: Cluster at UNC Chapel Hill
        - Test - Platform Profile: Cluster at University of Wisconsin
        - Test - Platform Profile: Cluster at Yale University
        - Test - Platform Profile: Cluster in Amazon Web Services
        - Test - Platform Profile: ksclarke EC2 m3.medium
        - Test - Platform Profile: lib-devsandbox1.ucsd.edu
          - Test Results Summary
        - Test - Platform Profile: melendor.local
        - Test - Platform Profile: saez workstation
        - Test - Platform Profile: Single VM at UNC Chapel Hill
      - Repository Profiles
        - Test - Repository Profile: Basic
        - Test - Repository Profile: Basic File LevelDB
        - Test - Repository Profile: Basic with authorization
        - Test - Repository Profile: Clustered with versioning and authorization
        - Test - Repository Profile: Federation
        - Test - Repository Profile: Minimal
          - Test - Platform Profile: Transaction Benchtool Config
      - Setup Profiles
        - Test - Setup Profile: 2,000 x 50MB
        - Test - Setup Profile: 10,000 x 1KB
        - Test - Setup Profile: 10,000 x 1MB
        - Test - Setup Profile: 10,000 x 50MB
        - Test - Setup Profile: 1000 x 1MB
        - Test - Setup Profile: Empty Repository
        - Test - Setup Profile: Image Collection
        - Test - Setup Profile: Trees
      - Single-Node Test Results
      - Versioning Performance
      - Workflow Profiles
        - Test - Workflow Profile: Benchtool Delete
        - Test - Workflow Profile: Benchtool Ingest
        - Test - Workflow Profile: Benchtool Property Create
        - Test - Workflow Profile: Benchtool Property Delete
        - Test - Workflow Profile: Benchtool Property Read
        - Test - Workflow Profile: Benchtool Property Update
        - Test - Workflow Profile: Benchtool Read
        - Test - Workflow Profile: Benchtool Update
        - Test - Workflow Profile: Delete
        - Test - Workflow Profile: Ingest
        - Test - Workflow Profile: Read
        - Test - Workflow Profile: Repository/Federation/NFS/SCP Comparison
        - Test - Workflow Profile: Update
        - Test - Workflow Profile: Upload/Download Roundtrip
    - Large File Ingest and Retrieval
    - Large Numbers of Containers
    - Response Time Comparison of Single Fedora VS Cluster
    - Stanford SALT Collection
  - Setup Audit Service
    - Audit Events for External Processes
    - Event-Driven Audit Events
    - Internal Audit Events
- Developer Guide
  - Hydra and Fedora 4
  - Islandora and Fedora 4
  - Maven build system
- FAQs and How-Tos
  - How-To Articles
    - How to Create a new JAX-RS resource
    - How to Get Involved
    - How to inspect LevelDB

- [How to Model a Book](#)
    - [How to Run Fedora4 in AWS](#)
    - [How to setup a Fedora cluster](#)
  - [First Steps](#)
  - [Durability](#)
  - [Event-driven APIs](#)
  - [The Fedora 4 object model](#)
  - [Usage Best Practices](#)
  - [LDP-PCDM-F4 In Action](#)
    - [LDP-PCDM-F4 In Action - Book](#)
    - [LDP-PCDM-F4 In Action - Collection](#)
    - [LDP-PCDM-F4 In Action - Ordering](#)
  - [Glossary](#)
    - [Technical Implementation Glossary](#)
- 

## Component Stack



## Integration Architecture

