

# Islandora Internet Archive Bookreader

## Overview

The Islandora Internet Archive Bookreader is an implementation of Open Library's Internet Archive Bookreader web app. It is used by the Islandora Book Solution Pack to display a series of pages as an entire book that can be accessed on the book's 'View' page.

## Dependencies

- [Libraries API](#) with the **bookreader** library installed
- [Islandora](#)
- [Tuque](#)
- [Djatoka](#)
- [Islandora Solr Search](#) should be used to organize the book via RELS-EXT and designate an OCR data stream (Optional)
- [Libraries API](#)
- [Colorbox](#)

## Provisions

- [Book Solution Pack](#)

## Downloads

The Islandora Internet Archive Bookreader module can be found on the [Release Notes and Downloads](#) page.

Download/clone the [Internet Archive BookReader](#) to `sites/all/libraries/bookreader`.

The actual Bookreader library from Open Library can be found at their GitHub repository here: <https://github.com/openlibrary/bookreader>

Internet Archive BookReader [Developer documentation](#)

This module requires that you set up Djatoka, please follow the steps outlined at [here](#).

This module requires [Colorbox](#) and its dependant library [Colorbox library](#). Depending on the version of the Colorbox module and library you are using, there can be some issues with Colorbox finding the library. [This](#) comment solves the issue.

## Installation

Though the actual Bookreader module is installed the same way as any Drupal module is, the Bookreader library needs to be downloaded and placed manually. This can be done in two different ways:

- If 'git' is installed on your server, you can navigate to your Drupal installation's sites/all/libraries folder and run "**git clone** [git://github.com/openlibrary/bookreader.git](https://github.com/openlibrary/bookreader.git)" to automatically clone the repository. If 'git' isn't installed, you can often get it from standard Linux package managers by running a command similar to '**apt-get install git**' or '**yum install git**'.
- If you wouldn't like to use GitHub's standard repository manager, you can navigate to the repository's site in the Downloads section above, click the button to download the repository as a ZIP file, and extract it to your Drupal installation's sites/all/libraries folder. If you do this, you will need to rename the extracted folder from 'bookreader-branch' (e.g. bookreader-master) to simply 'bookreader'.

After you install and enable the module, go to Administration > Islandora > Solution pack configuration > Book solution pack (admin/islandora/solution\_pack\_config/book).

1. Under **Book Viewers**, select **Internet Archive BookReader**.
2. Under **Page Viewers**, select **OpenSeaDragon**.
3. Click **Save Configuration**.

## BOOK VIEWERS

### Select a viewer

DEFAULT	LABEL	DESCRIPTION	CONFIGURATION
<input type="radio"/>	None	Don't use a viewer for this solution pack.	
<input checked="" type="radio"/>	Internet Archive BookReader	Internet Archive BookReader.	<a href="#">configure</a>
<input type="radio"/>	pdf.js Reader	Mozilla pdf.js Reader.	

Preferred viewer for your solution pack. These may be provided by third-party modules.

## PAGE VIEWERS

### Select a viewer


DEFAULT	LABEL	DESCRIPTION	CONFIGURATION
<input type="radio"/>	None	Don't use a viewer for this solution pack.	
<input checked="" type="radio"/>	OpenSeadragon	OpenSeadragon viewer with djabatoka as tilesource.	<a href="#">configure</a>
<input type="radio"/>	pdf.js Reader	Mozilla pdf.js Reader.	

Preferred viewer for your solution pack. These may be provided by third-party modules.

Save configuration

## Usage

Controls for the Islandora Internet Archive Bookreader are identical to the standard Internet Archive Bookreader:



1. Link to the front page of the book
2. Another link to the cover
3. Search field that is able to look through the OCR datastream of the book object
4. Button to initiate an OCR search from the text field
5. Button to have the pages automatically and methodically flip to the next one after a short period of time
6. Button showing basic MODS information
7. Button to view the OCR output for the current page
8. Button to generate URL links to share the book
9. The actual book's viewing pane
10. A slider to quickly switch between pages
11. Button to view a single page at a time
12. Button to view two pages side by side, like a standard physical book
13. Button to view all pages in a grid layout
14. Zoom controls (in and out)

15. Button to hide the bottom-most navigation pane
16. Controls to move to the next or previous page

## Configuration

Configuration options for the Islandora Internet Archive Bookreader can be found:

- in the admin page for the Bookreader (admin/islandora/islandora\_viewers/internet\_archive\_bookreader)
- in the admin page for OCR tools (admin/islandora/tools/ocr)
- in the admin page for the Islandora Book Solution Pack (admin/islandora/solution\_pack\_config/book)
- and in the admin page for the Paged Content Module (admin/islandora/solution\_pack\_config/paged\_content).

### Internet Archive Bookreader Configuration

To configure the Internet Archive Bookreader, go to Administration > Islandora > Islandora Viewers > Internet Archive Bookreader (admin/islandora/islandora\_viewers/internet\_archive\_bookreader).

**djatoka image compression level**

The level of compression djatoka will use when creating images (usually set at 4 or 5).

**Solr field relating pages to book PIDs**

BookReader needs to know the PID of any book it's searching in, because OCR datastreams are stored in individual pages and not in the book as a whole. This should therefore be set to the page-object-based Solr field that relates it to its parent book's PID.

**Overlay Opacity**

The opacity of the overlay, when opening the info, fulltext and share dialogs (A number between 0 (fully transparent) and 1 (fully opaque)).

**The content type being displayed within the IAV.**

This is what will be displayed in the viewer in places such as the info and share dialogs.

**Default page view**

▼

The number of pages to display by default

☐ Force the Internet Archive Bookreader into full screen for mobile users?

☐ Use the JPG datastream as a backup

Djatoka will not return JP2s smaller than 4096 bytes; by checking this, the bookreader will run a check and use the JPG datastream instead. NOTE: applying this setting can slow the bookreader down, especially for busy sites or large books. Be sure only to use this if necessary.

Save configuration

### Configuration Options

Field	Default Value	Explanation
djatoka image compression level	4	The level of compression djatoka will use when creating images (usually set at 4 or 5).
Solr field relating pages to book PIDs	RELS_EXT_isMemberOf_uri_ms	This field is necessary to allow the "Search inside" option in the IAV to search across the full text OCR datastreams of all pages associated with this book. Enter the solr field that indexes the relationship that associates Islandora Page objects with Islandora Book objects.

Overlay Opacity	0.5	The opacity of the overlay, when opening the info, fulltext and share dialogs. Enter a decimal number between 0 (fully transparent) and 1 (fully opaque).
The content type being displayed within the IAV.	book	This will be displayed in the viewer in places such as the info and share dialogs.
Default page view	Single page	The number of pages the IAV will show by default. Options are Single page, Side by Side (2 pages), or Thumbnails (all pages).
Force the Internet Archive Bookreader into full screen for mobile users?	unchecked	Checking this will make book objects full screen by default on mobile devices.
Use the JPG datastream as a backup.	unchecked	This option can slow a site down, so use it only if necessary. The viewer usually loads JP2 derivatives, but it won't return a JP2 that is smaller than 4096 bytes. If you have a collection with JP2 derivatives smaller than the minimum size, or no JP2s, select this option to use JPG derivatives as the page image instead.

## Troubleshooting/Issues

Having problems or solved a problem? Check out the Islandora google groups for a solution.

- [Islandora Group](#)
- [Islandora Dev Group](#)